

Version 1.1 February 2021

"HIGH PERFORMANCE 4WD COMPONENTS"

PRODUCT CATALOGUE 2021



WCS
WEST COAST
SUSPENSIONS

Since 1924

Tel: +61 8 9378 2133

Fax: +61 8 9378 2839

Email: sales@jenkins.com.au

Web: www.westcoastsuspensions.com.au



CONTENTS

DAIHATSU	3
FORD	5
GREAT WALL	12
HOLDEN	14
ISUZU	19
JEEP	23
LAND ROVER	27
LDV	29
MAZDA	30
MITSUBISHI	34
NISSAN	40
SUZUKI	52
TOYOTA	56
VOLKSWAGEN	78
COIL SPRING SPECIFICATIONS	79
SHOCK ABSORBER REFERENCE CHART	80
STEERING DAMPER REFERENCE CHART	82
4WD SHACKLE BUSH KITS	83
4WD SUSPENSION U-BOLT DIMENSIONS	84
LEAF SPRING SPECIFICATIONS	85
SUSPENSION INSTALLATION FORM	87
WARRANTY ASSESSMENT FORM	88
WARRANTY TERMS AND CONDITIONS	89
WCS GVM UPGRADES	90
MONOTUBE 2.0 REMOTE RESERVOIR	98







© West Coast Suspensions 2021

All rights reserved. No part of this publication may be reproduced or utilised in any form or by any means, electronic or mechanical, including photocopying, recording or by any information storage and retrieval systems, without the prior written permission of the publishers.





Disclaimer

The preparation of this catalogue has been carried out with every care and attention, however, West Coast Suspensions accepts no responsibility.





Make: DAIHATSU**Model: ROCKY HARDTOP, F70, F75, F80RV, F85RV****Front Suspension**

Description		Part #	Qty	Notes
Leaf Spring		DAT 03	2	6 leaf spring to 45kg constant
Shock Absorber		G36-5483	2	Gas charged
Bush Kit		UK 711	1	Urethane bush kit
U/Bolt		UB 659	1	Driver's side inner
		UB 658	3	Round top U-bolt





Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		DAT 04	2	6 (5+1) leaf constant 100kg
Shock Absorber		G36-5483	2	Gas charged
Bush Kit		UK 710	1	Urethane bush kit
U/Bolt		UB 658	4	Round top U-bolt

Make: DAIHATSU**Model: ROCKY TRAYBACK, F77P, F77R****Front Suspension**

Description		Part #	Qty	Notes
Leaf Spring		DAT 03	2	6 leaf spring to 45kg constant
Shock Absorber		G36-5483	2	Gas charged
Bush Kit		UK 711	1	Urethane bush kit
U/Bolt		UB 659	1	Driver's side inner
		UB 658	3	Round top U-bolt



Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		DAT 06	2	6 (5+1) leaf constant 100kg
Shock Absorber		G36-5593	2	Gas charged
Bush Kit		UK 707	1	Urethane bush kit
U/Bolt		UB 437A	4	Square top U-bolt







Make: FORD

Model: COURIER '86-'06, 4WD (REF MAZD001K)


Front Suspension

Description		Part #	Qty	Notes
Torsion Bar		TB 1546	1 pair	26mm Ø x 927mm
Shock Absorber		G36-5535	2	Gas charged







Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		MAZD 01	2	7 (5+2) leaf constant 250kg
		MAZD 01HD	2	8 (6+2) leaf constant 450kg
Shock Absorber		G36-5522	2	Gas charged
Bush Kit		UK 756	1	Urethane bush kit
Fixed Pin		SP 794G	2	Greasable pin
Shackle		SK 386/1G	2	Greasable shackle
U/Bolt		UB 658	4	Round top U-bolt







Make: FORD**Model: RANGER PJ-PK 4WD 2006-10/2011 (REF MAZD002K)****Front Suspension**

Description		Part #	Qty	Notes
Torsion Bar		TB 1551	1 pair	27mm Ø x 1024mm
Shock Absorber		G36-5535	2	Gas charged

Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		MAZD 02	2	6 (4+2) leaf constant 300kg
		MAZD 02HD	2	7 (5+2) leaf constant 500kg
Shock Absorber		G36-5522	2	Gas charged
Bush Kit		UK 769	1	Urethane bush kit
Fixed Pin		SP 385/1	2	14mm pin
Shackle		SK 386/1G	2	Greasable shackle
U/Bolt		UB 473	4	Round top U-bolt







Make: FORD**Model: RANGER PX/PX2 4WD & 2WD HI-RIDER 10/2011 - 6/2018 (REF MAZD003K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		MAZD 100SH	1 pair	To 70kg constant - std > 20mm
		MAZD 100	1 pair	To 70kg constant > 50mm
		MAZD 100HD	1 pair	70kg - 120kg constant > 50mm
Shock Absorber		G38-5650	2	Gas charged strut
Monotube Remote Reservoir Shock Absorber		MXA5 - 1603A50	2	High performance 46mm gas charged adjustable 8 stage
Strut Cap		10-1085	2	Replacement strut top cap
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle
Upper Control Arms		UCAB02-01-0	1 pair	

Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		MAZD 03	2	6 (4+2) leaf constant 300kg
		MAZD 03GVM	2	7 (5+2) leaf constant 500kg
Shock Absorber		G36-5522	2	Gas charged
Monotube Remote Reservoir Shock Absorber		MPA5 - 4045PL	1	Left side piggy back
		MPA5 - 4045PR	1	Right side piggy back
Bush Kit		UK 770	1	Urethane bush kit
Fixed Pin		SP 385/1	2	14mm pin
Shackle		SK 389G	2	Greasable shackle
U/Bolt		UB 473	4	Round top U-bolt
Centre Bearing Spacer		CBS 01	1	Helps reduce tail shaft vibration






Make: FORD**Model: RANGER PX3 4WD (excluding Raptor) 7/2018 on (REF FORD002K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		FORD 100	1 pair	Up to 55kg constant
		FORD 100HD	1 pair	55kg - 85kg constant
Shock Absorber		G38-5651	2	Gas charged strut
		BSBK-24	2	Bump stop kit
Monotube Remote Reservoir Shock Absorber		MXA5 - 1611A50L	1	Left side adjustable 8 stage
		MXA5 - 1611A50R	1	Right side adjustable 8 stage
Strut Cap		10-1081	2	Replacement strut top cap
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle
Upper Control Arms		UCAB02-01-0	1 pair	



Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		MAZD 03	2	6 (4+2) leaf constant 300kg
		MAZD 03GVM	2	7 (5+2) leaf constant 500kg
Shock Absorber		G36-5522	2	Gas charged
Monotube Remote Reservoir Shock Absorber		MPA5 - 4045PL	1	Left side piggy back
		MPA5 - 4045PR	1	Right side piggy back
Bush Kit		UK 770	1	Urethane bush kit
Fixed Pin		SP 385/1	2	14mm pin
Shackle		SK 389G	2	Greasable shackle
U/Bolt		UB 473	4	Round top U-bolt
Centre Bearing Spacer		CBS 01	1	Helps reduce tail shaft vibration

Make: FORD**Model: EVEREST UA 4WD 2016 - 6/2018 (REF FORD003K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		MAZD 100	1 pair	Up to 55kg constant
		MAZD 100HD	1 pair	55kg - 85kg constant
Shock Absorber		G38-5650	2	Gas charged strut
Strut Cap		10-1085	2	Replacement strut top cap
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle
Upper Control Arms		UCAB02-01-0	1 pair	



Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		FORD 106	1 pair	Constant 100kg
		FORD 106HD	1 pair	Constant 250kg
Shock Absorber		G36-5601	2	Gas charged






Make: FORD**Model: EVEREST UA2 4WD 7/2018 ON (REF FORD004K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		FORD 100	1 pair	Up to 50kg constant
		FORD 100HD	1 pair	55kg - 85kg constant
Shock Absorber		G38-5651	2	Gas charged strut
		BSBK-24	2	Bump stop kit
Strut Cap		10-1081	2	Replacement strut top cap
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle
Upper Control Arms		UCAB02-01-0	1 pair	





Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		FORD 106	1 pair	Constant 100kg
		FORD 106HD	1 pair	Constant 250kg
Shock Absorber		G36-5601	2	Gas charged



Make: FORD**Model: F250 4WD and 2WD 2000 - 2014 (REF FORD001K)****Front Suspension**

Description		Part #	Qty	Notes
Leaf Spring		FORD 29P	2	3 leaf parabolic 50mm + (bushed)
Shock Absorber		G36-5600	2	Gas charged std - 60mm
Panhard Rod		10-1014	1	Adjustable panhard rod
U/Bolt		UB 471	4	Square top U-bolt
Bush		3195	2	Fixed end
		3194	4	Shackle end upper and lower




Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		FORD 33	2	6 (5+1) leaf 40mm + constant 300kg (bushed)
Shock Absorber		G36-5603	2/4	Gas charged
U/Bolt		UB 472	4	Round top U-bolts
Bush		3195	2	Fixed end
		3194	4	Shackle end upper and lower



Make: FORD**Model: F150 2014 ON (REF FORD005K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		Reuse OEM Coils	1 pair	
Monotube 2.0 Shock Absorber		MG-1608G50	2	Adjustable coil seat height for standard- 2" lift Reuse OE Cap & Dust Cover

Rear Suspension

Description		Part #	Qty	Notes
Extra Leaf		EXL-F150	2	1.5" Lift
Monotube 2.0 Shock Absorber		MG-1005P	2	Suits 0-2" Lift
U/Bolt		UB 449HD	4	Square top U-bolt

Make: FORD**Model: F250 2014 ON (REF FORD006K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		Reuse OEM Coils	1 pair	
Monotube 2.0 Shock Absorber		MG-1607P	2	Suits 0-2" Lift



Rear Suspension

Description		Part #	Qty	Notes
Extra Leaf		EXL-F250	2	1.5" Lift
Monotube 2.0 Shock Absorber		MG-1005P	2	Suits 0-2" Lift
U/Bolt		UB 450	4	Semi round Top U-bolt





Make: GREAT WALL

Model: V240 UTE (REF HOLO02K)

Front Suspension

Description		Part #	Qty	Notes
Torsion Bar		TB 1550	1 pair	30mm Ø x 1142mm
Shock Absorber		G36-5604	2	Gas charged

Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		HOL 02	2	6 (4+2) leaf constant 300kg
		HOL 02HD	2	7 (5+2) leaf constant 400kg
Shock Absorber		G36-5562	2	Gas charged
Bush Kit		UK 728	1	Urethane bush kit
Fixed Pin		SP 385/1	2	14mm pin
Shackle		SK 386G	2	Greasable shackle
		SK 386EXG	2	Greasable shackle extended
U/Bolt		UB 473	4	Round top U-bolt





Make: GREAT WALL

Model: X240 UTE (REF GW001K)

Front Suspension

Description		Part #	Qty	Notes
Torsion Bar		TB 1550	1 pair	30mm Ø x 1142mm
Shock Absorber		G36-5604	2	Gas charged



Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		NIS 112	1 pair	Constant 150kg
Shock Absorber		G36-5563A	2	Gas charged








Make: HOLDEN

Model: RODEO KB to TF 1981-2002 (REF HOL001K)

Front Suspension

Description		Part #	Qty	Notes
Torsion Bar		TB 1546	1 pair	26mm Ø x 927mm—1983-7/1988 models
		TB 1547	1 pair	26mm Ø x 1000mm—8/1988-2002 models
		TB 1556	1 pair	7mm Ø x 1000mm—8/1988-2002 models
Shock Absorber		G36-5535	2	Gas charged



Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		HOL 01	2	7 (5+2) leaf constant 250kg
Shock Absorber		G36-5562	2	Gas charged
Bush Kit		UK 728	1	8/1988 model on
Fixed Pin		SP 385/1	2	Suits UK 728
Shackle		SK 386G	2	Greasable shackle
		SK 386EXG	2	Greasable shackle extended
U/Bolt		UB 415	4	Round top U-bolt








Make: HOLDEN

Model: RODEO RA 2003-2008 (REF HOLO02K)

Front Suspension

Description		Part #	Qty	Notes
Torsion Bar		TB 1550	1 pair	30mm Ø x 1142mm
Shock Absorber		G36-S604	2	Gas charged

Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		HOL 02	2	6 (4+2) leaf constant 300kg
		HOL 02HD	2	7 (5+2) leaf constant 400kg
Shock Absorber		G36-5562	2	Gas charged
Bush Kit		UK 728	1	Urethane bush kit
Fixed Pin		SP 385/1	2	14mm pin
Shackle		SK 386G	2	Greasable shackle
		SK 386EXG	2	Greasable shackle extended
U/Bolt		UB 473	4	Round top U-bolt








Make: HOLDEN

Model: COLORADO RC 2008-05/2012 (REF HOL002K)

Front Suspension

Description		Part #	Qty	Notes
Torsion Bar		TB 1550	1 pair	30mm Ø x 1142mm
Shock Absorber		G36-5604	2	Gas charged







Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		HOL 02	2	6 (4+2) leaf constant 300kg
		HOL 02HD	2	7 (5+2) leaf constant 400kg
Shock Absorber		G36-5562	2	Gas charged
Bush Kit		UK 728	1	Urethane bush kit
Fixed Pin		SP 385/1	2	14mm pin
Shackle		SK 386G	2	Greasable shackle
		SK 386EXG	2	Greasable shackle extended
U/Bolt		UB 473	4	Round top U-bolt


Make: HOLDEN

Model: COLORADO RG 06/2012 on (REF HOL006K)





Front Suspension

Description		Part #	Qty	Notes
Coil Spring		TPR 104	1 pair	To 60kg constant
		TPR 104HD	1 pair	60kg - 90kg constant
Shock Absorber		G38-5660	2	Gas charged strut
Monotube Remote Reservoir Shock Absorber		MXA5 - 9602A50	2	High performance 46mm gas charged adjustable 8 stage
Strut Cap		10-1086	2	Replacement strut top cap
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle
Upper Control Arms		UCAB06-01-0	1 pair	2012 - 2016 only



Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		HOL 03	2	6 (4+2) leaf constant 300kg
		HOL 03GVM	2	7 (5+2) leaf constant 500kg
Shock Absorber		G36-5562	2	Gas charged
Monotube Remote Reservoir Shock Absorber		MPA5 - 4052PL	1	Left side piggy back
		MPA5 - 4052PR	1	Right side piggy back
Bush Kit		UK 867	1	Urethane bush kit
Fixed Pin		SP 385/1	2	14mm pin
Shackle		SK 390G	2	Greasable shackle
U/Bolt		UB 437A	4	Square top U-bolt



Make: HOLDEN**Model: COLORADO 7/TRAILBLAZER (REF HOL007K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		TPR 104	1 pair	Up to 60kg constant
		TPR 104HD	1 pair	Up to 90kg constant
Shock Absorber		G38-5660	2	Gas charged strut
Strut Cap		10-1086	2	Replacement strut top cap
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle



Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		HOL 106	1 pair	Constant 100kg - 150kg
Shock Absorber		G36-5563B	2	Gas charged

Make: HOLDEN**Model: JACKAROO 5/1992-2004 (REF HOL003K)****Front Suspension**


Description		Part #	Qty	Notes
Torsion Bar		TB 1549	1 pair	29mm Ø x 1220mm - check OE length
Shock Absorber		G36-5604	2	Gas charged

Rear Suspension








Description		Part #	Qty	Notes
Coil Spring		HOL 101	1 pair	Constant 100kg
		HOL 101HD	1 pair	Constant 200kg
Shock Absorber		G36-5595	2	Gas charged

Make: ISUZU
Model: D-MAX 2003 - 06/2012 (REF HOL002K)

Front Suspension

Description		Part #	Qty	Notes
Torsion Bar		TB 1550	1 pair	30mm Ø x 1142mm
Shock Absorber		G36-5604	2	Gas charged







Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		HOL 02	2	6 (4+2) leaf constant 300kg
		HOL 02HD	2	7 (5+2) leaf constant 400kg
Shock Absorber		G36-5562	2	Gas charged
Bush Kit		UK 728	1	Urethane bush kit
Fixed Pin		SP 385/1	2	14mm pin
Shackle		SK 386G	2	Greasable shackle
		SK 386EXG	2	Greasable shackle extended
U/Bolt		UB 473	4	Round top U-bolt

Make: ISUZU

Model: D-MAX 07/2012 - 08/2020 (REF ISU002K)

Front Suspension

Description		Part #	Qty	Notes
Coil Spring		TPR 104	1 pair	To 60kg constant
		TPR 104HD	1 pair	60kg - 90kg constant
Shock Absorber		G38-5660	2	Gas charged strut
Monotube Remote Reservoir Shock Absorber		MXA5 - 9602A50	2	High performance 46mm gas charged adjustable 8 stage
Strut Cap		10-1086	2	Replacement strut top cap
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle
Upper Control Arms		UCAB06-01-0	1 pair	





Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		HOL 03	2	6 (4+2) leaf constant 300kg
		HOL 03GVM	2	7 (5+2) leaf constant 500kg
Shock Absorber		G36-5562	2	Gas charged
Monotube Remote Reservoir Shock Absorber		MPA5 - 4052PL	1	Left side piggy back
		MPA5 - 4052PR	1	Right side piggy back
Bush Kit		UK 867	1	Urethane bush kit
Fixed Pin		SP 385/1	2	14mm pin
Shackle		SK 390G	2	Greasable shackle
U/Bolt		UB 437A	4	Square top U-bolt







Make: ISUZU

Model: D-MAX 09/2020 ON (REF ISU004K)

Front Suspension

Description		Part #	Qty	Notes
Coil Spring		TPR 104	1 pair	To 60kg constant
		TPR 104HD	1 pair	60kg - 90kg constant
Shock Absorber		G38-5661	2	Gas charged strut
Strut Cap		10-1086	2	Replacement strut top cap
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle



Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		ISUZU 01	2	4 (3+1) leaf constant 250kg
		ISUZU 01HD	2	5 (4+1) leaf constant 350kg
Shock Absorber		G36-5562	2	Gas charged
Bush Kit		UK 868	1	Urethane bush kit
Fixed Pin		SP 385/1	2	14mm pin
Shackle		SK 392G	2	Greasable shackle
U/Bolt		UB 437A	4	Square top U-bolt



Make: ISUZU

Model: MU-X (REF ISU003K)



Front Suspension

Description		Part #	Qty	Notes
Coil Spring		TPR 104	1 pair	Up to 60kg constant
		TPR 104HD	1 pair	Up to 90kg constant
Shock Absorber		G38-5660	2	Gas charged strut
Strut Cap		10-1086	2	Replacement strut top cap
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle
Upper Control Arms		UCAB06-01-0	1 pair	


Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		HOL 101	1 pair	Constant 100kg - 20mm - 30mm Lift
		HOL 101HD	1 pair	Constant 100kg - 50mm Lift
Shock Absorber		G36-5563B	2	Gas charged




Make: JEEP**Model: CHEROKEE XJ SPORT - excl GRAND (REF JEEP001K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		JEEP 100	1 pair	To 45kg constant
Shock Absorber		G36-3237	2	Gas charged strut



Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		JEEP 02	2	5 leaf spring
Shock Absorber		G36-3236	2	Gas charged
Bush Kit		UK 761	1	Urethane bush kit
U/Bolt		UB 673	4	Round top U-bolt

Make: JEEP**Model: CHEROKEE KJ 09/2001 - 2007 (REF JEEP004K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		JEEP 107	1 pair	To 45kg constant (petrol engine)
		JEEP 107HD	1 pair	To 45kg constant (diesel engine)
Shock Absorber		G38-5641	2	Gas charged strut
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle



Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		JEEP 108	1 pair	100kg constant
Shock Absorber		G36-3294	2	Gas charged



Make: JEEP**Model: CHEROKEE KK 2009 - 2012 (REF JEEP008K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		JEEP 117	1 pair	To 45kg constant
Shock Absorber		G38-5641	2	Gas charged strut
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle



Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		JEEP 118	1 pair	100kg constant
Shock Absorber		G36-3206	2	Gas charged




Make: JEEP**Model: WRANGLER TJ 1996 - 02/2007 (REF JEEP005K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		JEEP 101	1 pair	To 45kg constant (petrol engine)
Shock Absorber		G36-3204	2	Gas charged




Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		JEEP 104	1 pair	100kg constant
Shock Absorber		G36-3293	2	Gas charged



Make: JEEP**Model: WRANGLER JK 03/2007 - 2018 (REF JEEP006K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		JEEP 111	1 pair	To 45kg constant (petrol engine)
		JEEP 112	1 pair	To 45kg constant (diesel engine)
Shock Absorber		G36-3295	2	Gas charged
Pan Hard Rod		10-1065	1	Pan hard rod



Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		JEEP 113	1 pair	SWB 100kg constant
		JEEP 114	1 pair	LWB 100kg constant
Shock Absorber		G36-3296	2	Gas charged
Pan Hard Rod		10-1055	1	Pan hard rod



Make: JEEP**Model: GRAND CHEROKEE ZG-ZJ 1993 - 1998 (REF JEEP003K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		JEEP 100	1 pair	To 45kg constant
Shock Absorber		G36-3204	2	Gas charged



Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		JEEP 103	1 pair	100kg constant
Shock Absorber		G36-3207	2	Gas charged



Make: JEEP**Model: GRAND CHEROKEE WJ - WG 1999 - 2004 (REF JEEP002K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		JEEP 102	1 pair	To 45kg constant
Shock Absorber		G36-3204	2	Gas charged



Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		JEEP 106	1 pair	100kg constant
Shock Absorber		G36-3205	2	Gas charged

Make: JEEP**Model: GRAND CHEROKEE WH - WK1 07/2005 - 2010 (REF JEEP007K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		JEEP 115	1 pair	To 45kg constant
Shock Absorber		G38-5642	2	Gas charged strut
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle



Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		JEEP 116	1 pair	100kg constant
Shock Absorber		G36-3297	2	Gas charged

Make: LAND ROVER**Model: DISCOVERY TO 02/1999 - RANGE ROVER 1971 - 1998 EXCLUDES AIR SUSPENSION (REF LAN001K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		LAN 106	1 pair	To 45kg constant
Shock Absorber		G36-5592	2	Gas charged
Steering Damper		SD 4011	1	Pin - pin



Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		LAN 112	1 pair	100kg constant (Range Rover)
		LAN 113	1 pair	100kg constant (Discovery)
		LAN 113HD	1 pair	250kg constant
Shock Absorber		G36-5593	2	Gas charged



Make: LAND ROVER**Model: DISCOVERY SERIES 2, TD5, 3/1999 - 2004 (REF LAN003K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		LAN 108	1 pair	To 45kg constant
Shock Absorber		G36-5598	2	Gas charged
Steering Damper		SD 4012	1	Eye - eye



Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		LAN 113	1 pair	100kg constant
		LAN 113HD	1 pair	250kg constant
Shock Absorber		G36-5599	2	Gas charged



Make: LAND ROVER**Model: DEFENDER 110 (REF LAN002K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		LAN 107	1 pair	To 45kg constant
		LAN 107HD	1 pair	To 80kg constant
Shock Absorber		G36-5592	2	Gas charged



Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		LAN 102	1 pair	200kg constant
		LAN 102HD	1 pair	350kg constant
Shock Absorber		G36-5593	2	Gas charged

Make: LAND ROVER**Model: DEFENDER 130 (REF LAN004K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		LAN 107	1 pair	To 45kg constant
		LAN 107HD	1 pair	To 80kg constant
Shock Absorber		G36-5592	2	Gas charged






Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		LAN 102HD	1 pair	200kg constant
Shock Absorber		G36-5591	2	Gas charged

Make: LDV

Model: T60 2017 ON (REF LDV001K)

Front Suspension

Description		Part #	Qty	Notes
Coil Spring		TPR 104	1 pair	To 60kg constant
		TPR 104HD	1 pair	To 60kg - 90kg constant
Shock Absorber		G38-5660	2	Gas charged strut
Monotube Remote Reservoir Shock Absorber		MXA5 - 9602A50	2	High performance 46mm gas charged adjustable 8 stage
Strut Cap		10-1086	2	Replacement strut top cap
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle



Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		LDV 01	2	6 (4+2) leaf constant 300kg
		LDV 01HD	2	7 (5+2) leaf constant 500kg
Shock Absorber		G36-5562	2	Gas charged
Monotube Remote Reservoir Shock Absorber		MPA5 - 4052PL	1	Left side piggy back
		MPA5 - 4052PR	1	Right side piggy back
Bush Kit		UK 867	1	Urethane bush kit
Fixed Pin		SP 385/1	2	14mm pin
Shackle		SK 390G	2	Greasable shackle
U/Bolt		UB 473A	4	Square top U-bolt
Headlight Leveling Bracket		10-1097	1	Used to extend mount for headlight leveling arm on rear springs





Make: MAZDA

Model: B2600 1986 - 2006 (REF MAZD001K)

Front Suspension

Description		Part #	Qty	Notes
Torsion Bar		TB 1546	1 pair	26mm Ø x 927mm
Shock Absorber		G36-5535	2	Gas charged



Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		MAZD 01	2	7 (5+2) leaf constant 250kg
		MAZD 01HD	2	8 (6+2) leaf constant 450kg
Shock Absorber		G36-5522	2	Gas charged
Bush Kit		UK 756	1	Urethane bush kit
Fixed Pin		SP 794G	2	Greasable pin
Shackle		SK 386/1G	2	Greasable shackle
U/Bolt		UB 415	4	Round top U-bolt







Make: MAZDA

Model: BT50 4WD 2006 - 10/2011 (REF MAZD002K)







Front Suspension

Description		Part #	Qty	Notes
Torsion Bar		TB 1551	1 pair	27mm Ø x 1024mm
Shock Absorber		G36-5535	2	Gas charged

Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		MAZD 02	2	6 (4+2) leaf constant 300kg
		MAZD 02HD	2	7 (5+2) leaf constant 500kg
Shock Absorber		G36-5522	2	Gas charged
Bush Kit		UK 769	1	Urethane bush kit
Fixed Pin		SP 385/1	2	14mm pin
Shackle		SK 386/1G	2	Greasable shackle
U/Bolt		UB 473	4	Round top U-bolt

**Make: MAZDA****Model: BT50 4WD - 2WD HIGH CHASSIS 10/2011 - 08/2020 (REF MAZD003K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		MAZD 100SH	1 pair	To 70kg constant - std > 20mm
		MAZD 100	1 pair	To 70kg constant 50mm
		MAZD 100HD	1 pair	70kg - 120kg constant 50mm
Shock Absorber		G38-5650	2	Gas charged strut
Monotube Remote Reservoir Shock Absorber		MXA5 - 1603A50	2	High performance 46mm gas charged adjustable 8 stage
Strut Cap		10-1085	2	Replacement strut top cap
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle
Upper Control Arms		UCAB02-01-0	1 pair	





Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		MAZD 03	2	6 (4+2) leaf constant 300kg
		MAZD 03GVM	2	7 (5+2) leaf constant 500kg
Shock Absorber		G36-5522	2	Gas charged
Monotube Remote Reservoir Shock Absorber		MPA5 - 404SPL	1	Left side piggy back
		MPA5 - 4045PR	1	Right side piggy back
Bush Kit		UK 770	1	Urethane bush kit
Fixed Pin		SP 385/1	2	14mm pin
Shackle		SK 389G	2	Greasable shackle
U/Bolt		UB 473	4	Round top U-bolt
Centre Bearing Spacer		CBS 01	1	Helps reduce tail shaft vibration







Make: MAZDA

Model: BT50 09/2020 ON (REF ISU004K)



Front Suspension

Description		Part #	Qty	Notes
Coil Spring		TPR 104	1 pair	To 60kg constant
		TPR 104HD	1 pair	To 60kg - 90kg constant
Shock Absorber		G38-5661	2	Gas charged strut
Strut Cap		10-1086	2	Replacement strut top cap
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle






Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		ISUZU 01	2	4 (3+1) leaf constant 250kg
		ISUZU 01HD	2	5 (4+1) leaf constant 350kg
Shock Absorber		G36-5562	2	Gas charged
Bush Kit		UK 868	1	Urethane bush kit
Fixed Pin		SP 385/1	2	14mm pin
Shackle		SK 392G	2	Greasable shackle
U/Bolt		UB 473A	4	Square top U-bolt



Make: MITSUBISHI**Model: PAJERO SWB and LWB 1983-1996 (REF MITS0075K-LK)****Front Suspension**

Description		Part #	Qty	Notes
Torsion Bar Note: Check torsion bar dimensions		TB 200	1 pair	26mm Ø x 1280mm - NA, NB, NC, ND, NE, NG
		TB 203	1 pair	27.5mm Ø x 1307mm, 6CYL and TDI - NH, NJ
Shock Absorber		G36-5530	2	To 04/1991 gas charged
		G36-5535	2	04/1991 ON gas charged



Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		MIT5 30	2	5 (4+1) leaf 150kg to GVM, NH-NJ, SWB NA-NG
		MIT5 31	2	5 (4+1) leaf 150kg to GVM, LWB NA-NG
Shock Absorber		G36-5562	2	Gas charged
Bush Kit		UK 715	1	Urethane bush kit
Shackle		SK 795G	2	Greasable shackle
U/Bolt		UB 451	4	Round top U-bolt





Make: MITSUBISHI**Model: PAJERO SWB and LWB 1988 - 2000 (REF MITS006SK-LK)****Front Suspension**

Description		Part #	Qty	Notes
Torsion Bar Note: Check torsion bar dimensions		TB 200	1 pair	26mm Ø x 1280mm - NF, NG
		TB 203	1 pair	27.5mm Ø x 1307mm, NH, NL
Shock Absorber		G36-5530	2	To 04/1991 gas charged
		G36-5535	2	05/1991 ON gas charged



Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		MIT 102	1 pair	SWB constant 100kg
		MIT 101	1 pair	LWB constant 100kg
		MIT 101HD	1 pair	LWB constant 200kg
Shock Absorber		G36-5597	2	To 04/1991 gas charged
		G36-5580	2	05/1991 on gas charged

Make: MITSUBISHI**Model: PAJERO NM, NP, NS, NT, NW 2000 on (REF MITS005SK-LK)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		MIT 100	1 pair	To 65kg constant (petrol engine)
		MIT 100HD	1 pair	To 65kg constant (petrol HD or diesel engines)
		MIT 100EHD	1 pair	To 65kg constant (diesel HD engine)
Shock Absorber		G38-5624	2	Gas charged strut
Strut Cap		10-1088	2	Replacement strut top cap
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle






Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		MIT 103	1 pair	LWB constant 150kg
		MIT 103HD	1 pair	LWB constant 300kg
		MIT 106	1 pair	SWB constant 150kg
Shock Absorber		G36-5582	2	Gas charged



Make: MITSUBISHI

Model: PAJERO SPORT QE 10/2015 on (REF MIT5002K)

Front Suspension

Description		Part #	Qty	Notes
Coil Spring		MIT 109	1 pair	To 60kg constant
		MIT 109H	1 pair	60kg - 90kg constant
Shock Absorber		G38-5639	2	Gas charged strut
Strut Cap		10-1087	2	Replacement strut top cap
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle
Upper Control Arms		UCAB05-01-0	1 pair	




Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		MIT 102	1 pair	Constant 100kg
		MIT 101	1 pair	Constant 200kg
Shock Absorber		G36-5597	2	Gas charged






Make: MITSUBISHI

Model: TRITON 4WD ME, MF, MG, MH, MJ, MK (REF MIT5003K)

Front Suspension

Description		Part #	Qty	Notes
Torsion Bar Note: Check torsion bar dimensions		TB 200	1 pair	26mm Ø x 1280mm, ME-MH 1985-1992
		TB 202	1 pair	26mm Ø x 1370mm, MJ 1993-1997
		TB 204	1 pair	27.5 mm Ø x 1370 mm, MK 1997 on
Shock Absorber		G36-5530	2	To 11/1996 ME, MH, MJ Gas charged
		G36-5535	2	11/1996 on MK Gas charged
Steering Damper		SD 4022	2	Steering damper 10/1987 - 5/1992, eye/pin - eye







Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		MITS 32	2	5 (4+1) leaf constant 250kg
Shock Absorber		G36-5523	2	Gas charged—use washer to space out top mount
Bush Kit		UK 701	1	Urethane bush kit
Shackle		SK 795G	2	Greasable shackle
U/Bolt		UB 451	4	Round top U-bolt








Make: MITSUBISHI

Model: TRITON 4WD ML - MN (REF MITS004K)

Front Suspension

Description		Part #	Qty	Notes
Coil Spring		MIT 109	1 pair	To 70kg constant
		MIT 109H	1 pair	To 70kg - 100kg constant
Shock Absorber		G38-5639	2	Gas charged strut
Monotube Remote Reservoir Shock Absorber		MXA5 - 4686A50	2	High performance 46mm gas charged adjustable 8 stage
Strut Cap		10-1087	2	Replacement strut top cap
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle
Upper Control Arms		UCAB05-01-0	1 pair	







Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		MIT 33	2	7 (5+2) leaf constant 300kg
		MIT 33HD	2	8 (6+2) leaf constant 450kg
Shock Absorber		G36-5562	2	Gas charged
Monotube Remote Reservoir Shock Absorber		MXA5 - 4012P	2	High performance 46mm gas charged adjustable 8 stage
Bush Kit		UK 762	1	Urethane bush kit
Shackle		SK 795G	2	Greasable shackle
U/Bolt		UB 474	4	12mm Ø square top U-bolt - ML and MN
		UB 464	4	14mm Ø square top U-bolt, MN 2012 on, check diameter
Tail Shaft Spacer		TSS 01	1	Suits 2 piece tail shaft



Make: MITSUBISHI

Model: TRITON 4WD MQ - MR (REF MIT500BK)

Front Suspension

Description		Part #	Qty	Notes
Coil Spring		MIT 109H	1 pair	To 70 kg constant
		MIT 109HD	1 pair	To 70kg - 100kg constant
Shock Absorber		G38-5639	2	Gas charged strut
Monotube Remote Reservoir Shock Absorber		MXA5 - 4686A50	2	High performance 46mm gas charged adjustable 8 stage
Strut Cap		10-1087	2	Replacement strut top cap
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle
Upper Control Arms		UCAB05-01-0	1 pair	



Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		MIT5 34	2	7 (5+2) leaf constant 250kg
		MIT5 34HD	2	8 (6+2) leaf constant 400kg
Shock Absorber		G36-5562	2	Gas charged
Monotube Remote Reservoir Shock Absorber		MXA5 - 4012P	2	High performance 46mm gas charged adjustable 8 stage
Bush Kit		UK 763	1	Urethane bush kit
Shackle		SK 796G	2	Greasable shackle
U/Bolt		UB 437A	4	14mm Ø square top U-bolt
Tail Shaft Spacer		TSS 01	1	Suits 2 piece tail shaft



Make: MITSUBISHI

Model: CHALLENGER PA SERIES II, 8/2000 - 03/2007 (REF MIT500IK)

Front Suspension

Description		Part #	Qty	Notes
Torsion Bar		TB 203	1 pair	27.5mm Ø x 1307mm
Shock Absorber		G36-5535	2	Gas charged






Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		MIT 102	1 pair	Constant 100kg
		MIT 101	1 pair	Constant 200kg
Shock Absorber		G36-5597	2	Gas charged



Make: MITSUBISHI

Model: CHALLENGER PB, PC 2010 ON (REF MIT5002K)

Front Suspension

Description		Part #	Qty	Notes
Coil Spring		MIT 109	1 pair	60kg constant
		MIT 109H	1 pair	60kg - 90kg constant
Shock Absorber		G38-5639	2	Gas charged strut
Strut Cap		10-1087	2	Replacement strut top cap
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle
Upper Control Arms		UCAB05-01-0	1 pair	







Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		MIT 102	1 pair	Constant 100kg
		MIT 101	1 pair	Constant 200kg
Shock Absorber		G36-5597	2	Gas charged








Make: NISSAN**Model: PATROL GQ CAB CHASSIS - LEAF SPRING FRONT and REAR (REF NIS004K)****Front Suspension**

Description		Part #	Qty	Notes
Leaf Spring		NIS 11	2	Suitable for bar and winch
Shock Absorber		G36-5563	2	Gas charged
Steering Damper		SD 4022	2	Eye/pin - eye
Bush Kit		UK 718	1	Urethane bush kit
Fixed Pin		SP 667G	2	14mm pin
Shackle		SK 353G	2	Greasable shackle
U/Bolt		UB 668	4	Square top U-bolt






Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		NIS 12D/S	1	9 (7+2) leaf driver's side constant 250kg
		NIS 12N/S	1	9 (7+2) leaf near side constant 250kg
		NIS 12P D/S	1	3 (2+1) leaf driver's side parabolic option
		NIS 12P N/S	1	3 (2+1) leaf near side parabolic option
		NIS 15	1	9 (7+2) leaf constant 500kg
Shock Absorber		G36-5526	2	Gas charged
Bush Kit		UK 719	1	Urethane bush kit
Fixed Pin		SP 667G	2	14mm pin
Shackle		SK 353RHG	1	Greasable anti inversion shackle
		SK 353LHG	1	Greasable anti inversion shackle
U/Bolt		UB 670	4	Round top U-bolt








Make: NISSAN**Model: PATROL GQ/Y60 LWB WAGON (REF NIS003K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		NIS 101	1 pair	To 45kg constant
		NIS 101HD	1 pair	To 100kg constant
Coil Spacer		10-1020	2	15mm spacer for raising or trimming vehicle
		10-1019	2	30mm spacer for raising or trimming vehicle
Shock Absorber		G36-5546	2	Gas charged
		G2491L	2	H/duty hydraulic
Monotube Remote Reservoir Shock Absorber		MXA5 - 5601P	2	High performance 46mm gas charged adjustable 8 stage
Steering Damper		SD4034	1	To 08/1989, eye - eye
		SD4036	1	8/1989 on, pin - pin
Castor Bush Kit		10-1004	1	Castor correction kit
Radius Arm Bush		10-1044	1	Radius arm to chassis mount






Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		NIS 114	1 pair	100kg constant
		NIS 114HD	1 pair	250kg - 300kg constant
		NIS 111SP	1 pair	300kg constant progressive rated coil
		NIS 109	1 pair	150kg constant progressive rated coil
Coil Spacer		10-1021	2	15mm spacer for raising or trimming vehicle
		10-1022	2	30mm spacer for raising or trimming vehicle
Shock Absorber		G36-5548	2	Gas charged
		G2492L	2	H/duty hydraulic
Monotube Remote Reservoir Shock Absorber		MXA5 - 5001P	2	High performance 46mm gas charged adjustable 8 stage
Trailing Arm Bushes		10-1045	4	1 kit per arm, same upper and lower








Make: NISSAN**Model: PATROL GQ - Y60/GU - Y61 LWB CAB CHASSIS (REF NIS009K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		NIS 101	1 pair	To 45kg constant
		NIS 101HD	1 pair	To 100kg constant
Coil Spacer		10-1020	2	15mm spacer for raising or trimming vehicle
		10-1019	2	30mm spacer for raising or trimming vehicle
Shock Absorber		G36-5546	2	Gas charged
		G2491L	2	H/duty hydraulic
Monotube Remote Reservoir Shock Absorber		MXA5 - 5601P	2	High performance 46 mm gas charged adjustable 8 stage
Steering Damper		SD4011	1	Y61 GU, pin - pin
		SD4036	1	Y60 GQ, pin - pin
Castor Bush Kit		10-1004	1	Castor correction kit
Radius Arm Bush		10-1044	1	Radius arm to chassis mount






Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		NIS 114	1 pair	100kg constant
		NIS 114HD	1 pair	250kg - 300kg constant
		NIS 114EHD	1 pair	450kg - 500kg constant
		NIS 111	1 pair	300kg constant progressive rated coil
		NIS 109	1 pair	150kg constant progressive rated coil
Coil Spacer		10-1021	2	15mm spacer for raising or trimming vehicle
		10-1022	2	30mm spacer for raising or trimming vehicle
Shock Absorber		G36-5548	2	Gas charged
		G2492L	2	H/duty hydraulic
Monotube Remote Reservoir Shock Absorber		MXA5 - 5001P	2	High performance 46mm gas charged adjustable 8 stage
Trailing Arm Bushes		10-1045	4	1 kit per arm, same upper and lower

Make: NISSAN**Model: PATROL GU/Y61 LWB WAGON (REF NIS0010K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		NIS 101	1 pair	To 45kg constant
		NIS 101HD	1 pair	To 100kg constant
Coil Spacer		10-1020	2	15mm spacer for raising or trimming vehicle
		10-1019	2	30mm spacer for raising or trimming vehicle
Shock Absorber		G36-5546	2	Gas charged
		G2491L	2	H/duty hydraulic
Monotube Remote Reservoir Shock Absorber		MXA5 - 5601P	2	High performance 46mm gas charged adjustable 8 stage
Steering Damper		SD4011	1	To 01/2000, pin - pin
		SD4501	1	02/2000 on, eye/pin - eye/pin
Castor Bush Kit		10-1004	1	Castor correction kit
Radius Arm Bush		10-1044	1	Radius arm to chassis mount












Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		NIS 109	1 pair	100kg constant progressive rated coil
		NIS 114HD	1 pair	200kg constant
		NIS 111SP	1 pair	250kg constant progressive rated coil
Coil Spacer		10-1021	2	15mm spacer for raising or trimming vehicle
		10-1022	2	30mm spacer for raising or trimming vehicle
Shock Absorber		G36-5548	2	Gas charged
		G2492L	2	H/duty hydraulic
Monotube Remote Reservoir Shock Absorber		MXA5 - 5001P	2	High performance 46mm gas charged adjustable 8 stage
Trailing Arm Bushes		10-1045	4	1 kit per arm, same upper and lower







Make: NISSAN

Model: PATROL GQ-Y60/GU-Y61 LWB 3-4" LIFT (REF NIS0011K)







Front Suspension

Description		Part #	Qty	Notes
Coil Spring		NIS 101HL3	1 pair	To 50kg constant
Coil Spacer		10-1020	2	15mm spacer for raising or trimming vehicle
		10-1019	2	30mm spacer for raising or trimming vehicle
Shock Absorber		G40-5546	2	Gas charged
Steering Damper		SD4034	1	GQ 88 to 08/1989, eye - eye
		SD4036	1	GQ 09/1989 on, pin - pin
		SD4011	1	GU to 01/2000, pin - pin
		SD4501	1	GU 02/2000 on, eye/pin - eye/pin
Castor Bush Kit		10-1040	1	Castor correction kit
Panhard Rod (adj)		10-1048	1	All models to 04/2000
		10-1050	1	GU series 2 - 04/2000 on (large spherical bush one end)
Extended Brake Hose		10-1038	1	Non ABS and single brake hose
Radius Arm Bush		10-1044	1	Radius arm to chassis mount







Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		NIS 114HL3	1 pair	150kg constant
Coil Spacer		10-1021	2	15mm spacer for raising or trimming vehicle
		10-1022	2	30mm spacer for raising or trimming vehicle
Shock Absorber		G40-5548	2	Big bore shock
Panhard Rod (adj)		10-1049	1	All models to 04/2000
		10-1051	1	GU series 2 - 04/2000 on (large spherical bush one end)
Extended Brake Hose		10-1039	1	Non ABS and single brake hose
Trailing Arm Bushes		10-1045	4	1 kit per arm, same upper and lower



Make: NISSAN**Model: PATROL GU CAB CHASSIS - LEAF SPRING REAR (REF NIS008K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		NIS 101	1 pair	To 45kg constant
		NIS 101HD	1 pair	To 100kg constant
Coil Spacer		10-1020	2	15mm spacer for raising or trimming vehicle
		10-1019	2	30mm spacer for raising or trimming vehicle
Shock Absorber		G36-5546	2	Gas charged
		G2491L	2	H/duty hydraulic
Steering Damper		SD4011	1	Pin - pin
Castor Bush Kit		10-1004	1	Castor correction kit
Radius Arm Bush		10-1044	1	Radius arm to chassis mount


Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		NIS 12D/S	1	9 (7+2) leaf driver's side constant 250kg
		NIS 12N/S	1	9 (7+2) leaf near side constant 250kg
		NIS 12P D/S	1	3 (2+1) leaf driver's side parabolic option
		NIS 12P N/S	1	3 (2+1) leaf near side parabolic option
		NIS 15	1	9 (7+2) leaf constant 500kg
Shock Absorber		G36-5526	2	Gas charged
Bush Kit		UK 719	1	Urethane bush kit
Fixed Pin		SP 667G	2	Greasable pin
Shackle		SK 353RHG	1	Greasable anti inversion shackle
		SK 353LHG	1	Greasable anti inversion shackle
U/Bolt		UB 671	4	Round top U-bolt






Make: NISSAN**Model: NAVARA D21, 01/1986-02/1997 - D22, 02/1997-02/2015 (REF NIS002K)****Front Suspension**

Description		Part #	Qty	Notes
Torsion Bar		TB 1456	1 pair	D21-26mm Ø x 1202mm
		TB 1446	1 pair	D22-26mm Ø x 890mm
Shock Absorber		G36-5535	2	D21 gas charged
		G36-3253	2	D22 gas charged

Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		NIS 13	2	5 (3+2) leaf constant 150kg
Shock Absorber		G36-5562	2	Gas charged
Bush Kit		UK 704	1	Urethane bush kit
Fixed Pin		SP 798G	2	Greasable pin
Shackle		SK 669G	2	Greasable shackle
U/Bolt		UB 660	4	Square top U-bolt

Make: NISSAN**Model: NAVARA D40 4WD, 2006-2015 (REF NIS007K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		NIS 126	1 pair	To 40kg constant
		NIS 126HD	1 pair	To 70kg constant
		NIS 126HHD	1 pair	3L diesel
Shock Absorber		G38-5640	2	Gas charged strut
Monotube Remote Reservoir Shock Absorber		MXA5 - 56110A50	2	High performance 46mm gas charged adjustable 8 stage
Strut Cap		10-1089	2	Replacement strut top cap
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle







Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		NIS 14	2	6 (4+2) leaf constant 300kg
		NIS 14HD	2	7 (5+2) leaf constant 500kg
Shock Absorber		G36-5527	2	Gas charged
Monotube Remote Reservoir Shock Absorber		MPA5 - 5009PL	1	Left side piggy back
		MPA5 - 5009PR	1	Right side piggy back
Bush Kit		UK 767	1	Urethane bush kit
Fixed Pin		SP 385/1	2	14 mm pin
Shackle		SK 388G	2	Greasable shackle
U/Bolt		UB 437A	4	Square top U-bolt





Make: NISSAN

Model: NAVARA D23 DUAL CAB, 2015 on (REF NIS0012K)







Front Suspension

Description		Part #	Qty	Notes
Coil Spring		NIS 126HD	1 pair	To 40kg constant
		NIS 126HHD	1 pair	To 70kg constant
Shock Absorber		G38-5640	2	Gas charged strut
Monotube Remote Reservoir Shock Absorber		MXA5 - 56110A50	2	High performance 46mm gas charged adjustable 8 stage
Strut Cap		10-1089	2	Replacement strut top cap
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle
Upper Control Arms		UCAB04-01-0	1 pair	

Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		NIS 130	1 pair	150kg constant progressive rated coil
		NIS 130HD	1 pair	250kg constant progressive rated coil
Shock Absorber		G36-5527	2	Gas charged
Monotube Remote Reservoir Shock Absorber		MPA5 - 5009PL	1	Left side piggy back
		MPA5 - 5009PR	1	Right side piggy back
Panhard Rod		10-1096	1	Must be installed for lifted springs

Make: NISSAN**Model: NAVARA D23 SINGLE CAB, 2015 on (REF NIS0013K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		NIS 126HD	1 pair	To 40kg constant
		NIS 126HHD	1 pair	To 70kg constant
Shock Absorber		G38-5640	2	Gas charged strut
Monotube Remote Reservoir Shock Absorber		MXA5 - 56110A50	2	High performance 46mm gas charged adjustable 8 stage
Strut Cap		10-1089	2	Replacement strut top cap
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle
Upper Control Arms		UCAB04-01-0	1 pair	



Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		NIS 16	2	6 (4+2) leaf constant 300kg
Shock Absorber		G36-5562	2	Gas charged
Monotube Remote Reservoir Shock Absorber		MPA5 - 4052PL	1	Left side piggy back
		MPA5 - 4052PR	1	Right side piggy back
Bush Kit		UK 705	1	Urethane bush kit
Fixed Pin		SP 385/1	2	14mm pin
Shackle		SK 395G	2	Greasable shackle
U/Bolt		UB 415	4	Round top U-bolt




Make: NISSAN**Model: PATHFINDER WD21, 1987-1995, R20 TERRANO 1997-1999 (REF NIS006K)****Front Suspension**

Description		Part #	Qty	Notes
Torsion Bar		TB 1458	1 pair	26mm Ø x 1230mm
Shock Absorber		G36-5535	2	Gas charged
Steering Damper		SD4035	1	Eye - eye

Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		NIS 112	1 pair	150kg constant
Shock Absorber		G36-5562	2	Gas charged





Make: NISSAN**Model: PATHFINDER R50, 11/1995-6/2005 (REF NIS005K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		NIS 102	1 pair	To 45kg constant
Shock Absorber		G38-5644	1	RHS strut, 11/1995 - 01/1999
		G38-5644/1	1	RHS strut, 02/1999 - 10/2001
		G38-5644/2	1	RHS strut, 11/2001 - 06/2005
		G38-5645	1	LHS strut, 11/1995 - 01/1999
		G38-5645/1	1	LHS strut, 02/1999 - 10/2001
		G38-5645/2	1	LHS strut, 11/2001 - 06/2005
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle



Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		NIS 116	1 pair	100kg constant
Shock Absorber		G36-5557	2	11/1995 - 01/1999 gas charged
		G36-5558	2	02/1999 - 05/2005 gas charged








Make: NISSAN**Model: PATHFINDER R51, 7/2005 - 6/2013 (REF NIS005K-R51)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		NIS 126	1 pair	To 45kg constant
		NIS 126HD	1 pair	45kg - 70kg constant
Shock Absorber		G38-5640	2	Gas charged strut
Strut Cap		10-1089	2	Replacement strut top cap
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle







Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		NIS 127	1 pair	150kg constant
Shock Absorber		G36-5528	2	Gas charged




Make: SUZUKI**Model: SIERRA SJ/LJ, WAGON and TRAYBACK (REF SUZ001K)****Front Suspension**

Description		Part #	Qty	Notes
Leaf Spring		SUZI 01	2	4 leaf 50kg constant (trayback)
		SUZI 03	2	4 leaf 40kg constant (wagon)
Shock Absorber		G36-5483	2	Gas charged
Steering Damper		SD 4030	2	Eye - eye
Bush Kit		UK 734	1	Urethane bush kit
Fixed Pin		SP 657	2	Shackle bolt
Shackle		SK 656	2	Shackle kit
U/Bolt		UB 654	2	Driver's side Round top U-bolt
		UB 655	2	Near side Round top



Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		SUZI 02	1	5 (3+2) leaf constant 100kg (trayback)
		SUZI 05	1	5 (4+1) leaf constant 80kg (wagon)
Shock Absorber		G36-5487	2	Gas charged
Bush Kit		UK 734	1	Urethane bush kit
Fixed Pin		SP 657	2	Shackle bolt
Shackle		SK 656	1	Shackle kit
U/Bolt		UB 655	4	Round top U-bolt




Make: SUZUKI**Model: GRAND VITARA 4CYL SWB and LWB 04/1998-2001 (REF SUZ002K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		SUZ 114	1 pair	25mm lift
Shock Absorber		G38-5628	1	Gas charged strut (RHS)
		G38-5629	1	Gas charged strut (LHS)
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle



Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		SUZ 111	1 pair	25mm lift
Shock Absorber		G36-5488	2	Gas charged

Make: SUZUKI**Model: GRAND VITARA V6CYL LWB 04/1998-2001 (REF SUZ003K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		SUZ 105	1 pair	25mm lift
Shock Absorber		G38-5628	1	Gas charged strut (RHS)
		G38-5629	1	Gas charged strut (LHS)
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle

Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		SUZ 111	1 pair	25mm lift
Shock Absorber		G36-5488	2	Gas charged



Make: SUZUKI**Model: GRAND VITARA JB627 LWB 08/2005-07/2008 (REF SUZ004K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		SUZ 115	1 pair	Approx 30mm lift - to 40kg
Shock Absorber		G38-5646	1	Gas charged strut (RHS)
		G38-5647	1	Gas charged strut (LHS)
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle



Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		SUZ 116	1 pair	Approx 30mm lift - to 80kg
Shock Absorber		G36-5491	2	Gas charged




Make: SUZUKI**Model: JIMNY 1998 - 12/2004 (REF SUZ005K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		SUZ 106	1 pair	Approx 30mm lift - to 40kg
Shock Absorber		G36-5481	2	Gas charged



Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		SUZ 112	1 pair	Approx 30mm lift - to 80kg
Shock Absorber		G36-5482	2	Gas charged




Make: SUZUKI**Model: VITARA 2 DOOR 1.6L and 2L SWB 1988-03/1998 (REF SUZ006K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		SUZ 101	1 pair	1.6 ltr approx 25mm lift
		SUZ 102	1 pair	2 ltr approx 25mm lift
Shock Absorber		G38-5628	1	Gas charged strut (RHS)
		G38-5629	1	Gas charged strut (LHS)
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle



Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		SUZ 108	1 pair	Approx 25mm lift
Shock Absorber		G36-5488	2	Gas charged

Make: SUZUKI**Model: VITARA 4 DOOR INC V6 LWB 1991-03/1998 (REF SUZ007K)****Front Suspension**

Description		Part #	Qty	Notes
Coil Spring		SUZ 102	1 pair	Approx 30mm lift
		SUZ 103	1 pair	Approx 25mm lift v6 model
Shock Absorber		G38-5628	1	Gas charged strut (RHS)
		G38-5629	1	Gas charged strut (LHS)
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle

Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		SUZ 109	1 pair	Approx 30mm lift
Shock Absorber		G36-5488	2	Gas charged

Make: TOYOTA

Model: LANDCRUISER FJ/BJ40 1969-07/1980 (REF TLCO01K)

Front Suspension

Description		Part #	Qty	Notes
Leaf Spring		TLC 01	2	8 leaf to 80kg constant
Shock Absorber		G36-5560	2	Gas charged
Steering Damper		SD 4023	2	Eye/pin - eye/pin
Bush Kit		UK 713	1	Urethane bush kit
Fixed Pin		SP 346G	2	Greasable pin
Shackle		SK 343G	2	Greasable shackle
U/Bolt		UB 415	4	Round top U-bolt

Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		TLC 02	2	7 leaf to 100kg constant
Shock Absorber		G36-5562	2	Gas charged
Bush Kit		UK 713	1	Urethane bush kit
Fixed Pin		SP 346G	2	Greasable pin
Shackle		SK 343G	1	Greasable anti inversion shackle
U/Bolt		UB 415	4	Round top U-bolt

Make: TOYOTA**Model: LANDCRUISER FJ/BJ40 08/1980-04/1986 (REF TLC002K)****Front Suspension**

Description		Part #	Qty	Notes
Leaf Spring		TLC 04	2	8 leaf to 80kg constant
Shock Absorber		G36-5560	2	Gas charged
Steering Damper		SD 4023	2	Eye/pin - eye/pin
Bush Kit		UK 719	1	Urethane bush kit
Fixed Pin		SP 351G	2	Greasable pin
Shackle		SK 353G	2	Greasable shackle
U/Bolt		UB 449	1	Driver's side inner square top U-bolt
		UB 415	3	Round top U-bolt





Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		TLC 04R	2	7 leaf to 100kg constant
Shock Absorber		G36-5562	2	Gas charged
Bush Kit		UK 719	1	Urethane bush kit
Fixed Pin		SP 351G	2	Greasable pin
Shackle		SK 353G	1	Greasable anti inversion shackle
U/Bolt		UB 415	4	Round top U-bolt

Make: TOYOTA**Model: LANDCRUISER FJ/HJ45 1969-07/1980 (REF TLC003K)****Front Suspension**

Description		Part #	Qty	Notes
Leaf Spring		TLC 01	2	8 leaf to 80kg constant
Shock Absorber		G36-5560	2	Gas charged
Steering Damper		SD 4023	2	Eye/pin - eye/pin
Bush Kit		UK 713	1	Urethane bush kit
Fixed Pin		SP 346G	2	Greasable pin
Shackle		SK 343G	2	Greasable shackle
U/Bolt		UB 415	4	Round top U-bolt


Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		TLC 03	2	10 (7+3) leaf to 300kg constant
Shock Absorber		G36-5562	2	Gas charged
Bush Kit		UK 714	1	Urethane bush kit
Fixed Pin		SP 347G	2	Greasable pin
Shackle		SK 353LHG	1	Greasable anti inversion shackle
		SK 353RHG	1	Greasable anti inversion shackle
U/Bolt		UB 416	4	Round top U-bolt







Make: TOYOTA

Model: LANDCRUISER FJ/HJ45,47 08/1980-04/1986 (REF TLC004K)

Front Suspension

Description		Part #	Qty	Notes
Leaf Spring		TLC 04	2	8 leaf to 80kg constant
Shock Absorber		G36-5560	2	Gas charged
Steering Damper		SD 4023	2	Eye/pin - eye/pin
Bush Kit		UK 719	1	Urethane bush kit
Fixed Pin		SP 351G	2	Greasable pin
Shackle		SK 353G	2	Greasable shackle
U/Bolt		UB 449	1	Driver's side inner square top U-bolt
		UB 415	3	Round top U-bolt

Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		TLC 05	2	10 (7+3) leaf to 300kg constant
Shock Absorber		G36-5562	2	Gas charged
Bush Kit		UK 719	1	Urethane bush kit
Fixed Pin		SP 351G	2	Greasable pin
Shackle		SK 353LHG	1	Greasable anti inversion shackle
		SK 353RHG	1	Greasable anti inversion shackle
U/Bolt		UB 416	4	Round top U-bolt

Make: TOYOTA**Model:** LANDCRUISER FJ/HJ 60 08/1980-10/1985 (REF TLC005K)
LANDCRUISER FJ/HJ 60 11/1985-12/1989 (REF TLC005KA)**Front Suspension**

Description		Part #	Qty	Notes
Leaf Spring		TLC 06	2	6 leaf to 60kg constant
Shock Absorber		G36-5563	2	Gas charged
Steering Damper		SD 4046	2	Eye/pin - eye/pin
Bush Kit		UK 719	1	Urethane bush kit
Fixed Pin		SP 351G	2	Greasable pin
Shackle		SK 353G	2	Greasable shackle
U/Bolt		UB 436	4	Sqaure top U-bolt

Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		TLC 07D/S	1	7 (6+1) leaf driver's side 300kg constant
		TLC 07N/S	1	7 (6+1) leaf near side 300kg constant
Shock Absorber		G36-5562	2	To 11/1985 gas charged
		G36-5561	2	11/1985 on gas charged
Bush Kit		UK 719	1	Urethane bush kit
Fixed Pin		SP 351G	2	Greasable pin
Shackle		SK 353LHG	1	Greasable anti inversion shackle
		SK 353RHG	1	Greasable anti inversion shackle
U/Bolt		UB 415	4	Round top U-bolt







Make: TOYOTA

Model: LANDCRUISER FJ/BJ 73 MWB

Front Suspension

Description		Part #	Qty	Notes
Leaf Spring		TLC 08	2	7 leaf modified to 6 leaf, 60kg constant
Shock Absorber		G36-5563	2	Gas charged
Steering Damper		SD 4046	2	Eye/pin - eye/pin
Bush Kit		UK 719	1	Urethane bush kit
Fixed Pin		SP 351G	2	Greasable pin
Shackle		SK 353G	2	Greasable shackle
U/Bolt		UB 436	4	Sqaure top U-bolt

Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		TLC 07D/S	1	7 leaf modify to 5+1 leaf to 200kg
		TLC 07N/S	1	7 leaf modify to 5+1 leaf to 200kg
Shock Absorber		G36-5561	2	To 11/1985 gas charged
Bush Kit		UK 719	1	Urethane bush kit
Fixed Pin		SP 354G	2	Greasable pin
Shackle		SK 353LHG	1	Greasable anti inversion shackle
		SK 353RHG	1	Greasable anti inversion shackle
U/Bolt		UB 415	4	Round top U-bolt






Make: TOYOTA

Model: LANDCRUISER FJ/HJ/HZJ 75 (REF TLC006K)

Front Suspension

Description		Part #	Qty	Notes
Leaf Spring		TLC 08	2	7 Leaf to 100kg constant
		TLC 08-8	2	8 leaf 100kg - 150kg constant
		TLC 08P	2	Parabolic option to 80kg
Shock Absorber		G36-5567	2	Gas charged Raised
Steering Damper		SD 4046	2	Eye/pin - eye/pin
Bush Kit		UK 719	1	Urethane bush kit
Fixed Pin		SP 351G	2	Greasable pin
Shackle		SK 353G	2	Greasable shackle
		SK 353LHG	1	Greasable anti inversion shackle
		SK 353RHG	1	Greasable anti inversion shackle
		SK 359LHG	1	45mm extended shackle
		SK 359RHG	1	45mm extended shackle
U/Bolt		UB 436	4	Sqaure top U-bolt
		UB 436HD	4	16mm sqaure top U-bolt (require plate drilling)







Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		TLC 09-9	2	9 (7+2) leaf constant 300kg
		TLC 09-10	2	10 (8+2) leaf constant 400kg
		TLC 09-11	2	11 (9+2) leaf constant 500kg
		TLC 09P	2	3 (2+1) leaf parabolic option to 250kg
Shock Absorber		G36-5521	2	Gas charged
Bush Kit		UK 720	1	Urethane bush kit
Fixed Pin		SP 354G	2	Greasable pin
Shackle		SK 353G	2	Greasable shackle
		SK 353LHG	1	Greasable anti inversion shackle
		SK 353RHG	1	Greasable anti inversion shackle
		SK 359LHG	1	45mm extended shackle
		SK 359RHG	1	45mm extended shackle
U/Bolt		UB 415	4	Round top U-bolt 210mm long
		UB 416	4	Round top U-bolt 230mm long
		UB 416HD	4	16mm round top U-bolt (require plate drilling)










Make: TOYOTA

Model: LANDCRUISER HZJ/VDJ 78 (PC) - HZJ/VDJ 79 (CAB CHASSIS) (REF TLC007K)

Front Suspension

Description		Part #	Qty	Notes
Coil Spring		TLC 107	1 pair	std>30mm to 50kg constant
		TLC 103	1 pair	To 100kg constant
		TLC 103HD	1 pair	100kg - 130kg constant
Coil Spacer		10-1029	2	10mm spacer for raising or trimming vehicle
Shock Absorber		G36-5546	2	Gas charged
		G2491L	2	H/duty hydraulic
Monotube Remote Reservoir Shock Absorber		MXA5 - 6619P	2	High performance 46mm gas charged adjustable 8 stage
Steering Damper		SD4025	1	Eye/pin - eye/pin VDJ only
		SD4046	1	Eye/pin - eye/pin HZJ only
Castor Bush Kit		10-1004	1	Castor correction kit







Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		TLC 12	2	9 (7+2) leaf constant 200kg
		TLC 12-10	2	10 (8+2) leaf constant 300kg
		TLC 12-11	2	11 (9+2) leaf constant 500kg
		TLC 12GVM	2	10 (8+2) leaf up to constant 600kg
		TLC 12P	2	3 (2+1) leaf parabolic option to 400kg
Shock Absorber		TLC 12PHD	2	4 (3+1) leaf parabolic option 500kg
Shock Absorber		G36-5548	2	Gas charged
		G2492L	2	H/duty hydraulic
Monotube Remote Reservoir Shock Absorber		MXA5 - 6019P	2	High performance 46mm gas charged adjustable 8 stage
Bush Kit		UK 742	1	Urethane bush kit suit OE 14mm pin
		UK 742-18	1	Urethane bush kit suit pins and shackles listed
Fixed Pin		SP 356-18G	2	Greasable pin
Shackle		SK 358-18G	2	Greasable shackle
		SK 358-18EXG	2	45mm extended shackle
U/Bolt		UB 416	4	Round top U-bolt
		UB 416HD	4	16mm round top U-bolt (require plate drilling)
Brake Valve Spacer Block		10-1009	1	


Make: TOYOTA

Model: LANDCRUISER VDJ 76 WAGON 01/2007 on (REF TLC008K)

Front Suspension

Description		Part #	Qty	Notes
Coil Spring		TLC 107	1 pair	std>30mm to 50kg constant
		TLC 103	1 pair	100kg constant
		TLC 103HD	1 pair	100kg - 130kg constant
Coil Spacer		10-1029	2	10mm spacer for raising or trimming vehicle
Shock Absorber		G36-5546	2	Gas charged
		G2491L	2	H/duty hydraulic
Monotube Remote Reservoir Shock Absorber		MXA5 - 6619P	2	High performance 46mm gas charged adjustable 8 stage
Steering Damper		SD4025	1	Eye/pin - eye/pin VDJ only
		SD4046	1	Eye/pin - eye/pin HZJ only
Castor Bush Kit		10-1004	1	Castor correction kit







Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		TLC 15	2	6 (4+2) leaf constant 250kg
		TLC 15GVM	2	7 (5+2) leaf constant 350kg
		TLC 15P	2	3 (2+1) leaf parabolic option to 300kg
Shock Absorber		G36-5548	2	Gas charged
		G2492L	2	H/duty hydraulic
Monotube Remote Reservoir Shock Absorber		MXA5 - 6019P	2	High performance 46mm gas charged adjustable 8 stage
Bush Kit		UK 742	1	Urethane bush kit suit OE 14mm pin
		UK 742-18	1	Urethane bush kit suit pins and shackles listed
Fixed Pin		SP 356-18G	2	Greasable pin
Shackle		SK 358-18G	2	Greasable shackle
		SK 358-18EXG	1	45mm extended shackle
U/Bolt		UB 416	4	Round top U-bolt
		UB 416HD	4	16mm round top U-bolt (require plate drilling)






Make: TOYOTA

Model: LANDCRUISER FJ/HJ 80, 100, 105 (REF TLC009K)

Front Suspension

Description		Part #	Qty	Notes
Coil Spring		TLC 108	1 pair	To 45kg constant (std height)
		TLC 106	1 pair	To 60kg constant
		TLC 106HD	1 pair	To 60kg - 90kg constant
Coil Spacer		10-1023	2	10mm spacer for raising or trimming vehicle
		10-1024	2	20mm spacer for raising or trimming vehicle
		10-1025	2	30mm spacer for raising or trimming vehicle
Shock Absorber		G36-5543	2	Gas charged
Steering Damper		SD4046	1	Eye/pin - eye/pin
Castor Bush Kit		10-1004	1	Castor correction kit
Radius Arm Bush		10-1041	1	Radius arm to chassis mount









Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		TLC 117	1 pair	To 80kg constant (std height)
		TLC 116	1 pair	100kg constant
		TLC 109	1 pair	250kg constant progressive rated coil
		TLC 116HD	1 pair	350kg constant
Coil Spacer		10-1026	2	10mm spacer for raising or trimming vehicle
		10-1027	2	20mm spacer for raising or trimming vehicle
		10-1028	2	30mm spacer for raising or trimming vehicle
Shock Absorber		G36-5550	2	Gas charged
Trailing Arm Bush		10-1042	2	Lower trailing arm bush kit
		10-1043	2	Upper trailing arm bush kit







Make: TOYOTA

Model: LANDCRUISER FJ/HJ 80, 100, 105 3-4" LIFT (REF TLCO010K)

Front Suspension

Description		Part #	Qty	Notes
Coil Spring		TLC 102HL3	1 pair	To 50kg constant
Coil Spacer		10-1023	2	10mm spacer for raising or trimming vehicle
		10-1024	2	20mm spacer for raising or trimming vehicle
		10-1025	2	30mm spacer for raising or trimming vehicle
Shock Absorber		G40-5543	2	Big bore shock
Steering Damper		SD4046	1	Eye/pin - eye/pin
Castor Bush Kit		10-1040	1	Castor correction kit
Panhard Rod		10-1052	1	Adjustable panhard rod
		10-1052BK	1	panhard rod bush kit
Extended Brake Hose		10-1036	1	Non ABS and single brake hose
Radius Arm Bush		10-1041	1	Radius arm to chassis mount




Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		TLC 113HL3	1 pair	150kg constant
Coil Spacer		10-1026	2	10mm spacer for raising or trimming vehicle
		10-1027	2	20mm spacer for raising or trimming vehicle
		10-1028	2	30mm spacer for raising or trimming vehicle
Shock Absorber		G40-5550	2	Big bore shock
Panhard Rod		10-1053	1	Adjustable panhard rod
		10-1053BK	1	panhard rod bush kit
Extended Brake Hose		10-1037	1	Non ABS and single brake hose
Trailing Arm Bush		10-1042	2	Lower trailing arm bush kit
		10-1043	2	Upper trailing arm bush kit




Make: TOYOTA**Model:** LANDCRUISER 100 SERIES I.F.S PETROL V8 (REF TLCO011K)

LANDCRUISER 100 SERIES I.F.S TURBO DIESEL (REF TLCO011KA)

Front Suspension

Description		Part #	Qty	Notes
Torsion Bar		TB 1600	1 pair	32mm Ø x 1160mm V8 Petrol and Lexus
		TB 1610	1 pair	32mm Ø x 1210mm 6 cyl Turbo Diesel
Shock Absorber		G36-5552	2	Gas charged
Reinforcing Bracket		10-1054	1	Must be installed with torsion bars







Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		TLC 116	1 pair	Constant 200kg
		TLC 109	1 pair	Constant 200kg – 250kg progressive
		TLC 116HD	1 pair	Constant 300kg
Coil Spacer		10-1026	2	10mm spacer for raising or trimming vehicle
		10-1027	2	20mm spacer for raising or trimming vehicle
		10-1028	2	30mm spacer for raising or trimming vehicle
Shock Absorber		G40-5587	2	Gas charged




Make: TOYOTA

Model: LANDCRUISER 200 SERIES (REF TLC0012K)

Front Suspension

Description		Part #	Qty	Notes
Coil Spring		TLC 118	1 pair	To 60kg constant
		TLC 118HD	1 pair	70kg - 120kg constant
Shock Absorber		G38-5635	2	Gas charged strut
Monotube Remote Reservoir Shock Absorber		MXA5 - 6611A50	2	High performance 46mm gas charged adjustable 8 stage
Strut Cap		10-1084	2	Replacement strut top cap
Strut Spacer		10-1092		10mm strut spacer for raising or trimming vehicle
Upper Control Arms		UCA01-02-0	1 pair	

Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		TLC 119	1 pair	Constant 100kg
		TLC 119HD	1 pair	Constant 250kg
		TLC 119HHD	1 pair	Constant 400kg
Shock Absorber		G40-5587	2	Gas charged
Monotube Remote Reservoir Shock Absorber		MXA5 - 6011P	2	High performance 46mm gas charged adjustable 8 stage

TOYOTA LANDCRUISER 200 SERIES WITH KDSS SYSTEM

Please note when fitting springs to Toyota Landcruiser 200 Series or Lexus LX Series vehicles fitted with Toyota's Kinetic Dynamic Suspension System (KDSS), also referred to by Toyota as a "hydro-mechanical semi active anti roll bar"

Please be advised of the fitting procedure:

1. Suspend vehicle on 2-post type chassis hoist allowing wheels to hang.
2. Locate the KDSS valve housing.

NOTE: The valve housing is located on the left-hand side of the vehicle, on the inside of the chassis rail, roughly halfway between the front and the back of the vehicle.

3. Using a 5mm hex key, open the 2 leveling valves 3 full rotations anti-clockwise.
(Access is from underside of the KDSS valve)








NOTE: The KDSS system is now open and the sway bar ends should be able to be freely manipulated with little effort, allowing spring / strut removal and installation.

NOTE: THE VEHICLE MUST NOT BE DRIVEN WITH THESE VALVES OPEN AS THIS WILL COMPROMISE THE SYSTEM AND RENDER THE VEHICLE UNSAFE TO DRIVE.









4. With the vehicle sitting on level ground, close both KDSS leveling valves by turning them in a clockwise direction and then tightening.

Make: TOYOTA**Model: HILUX RN46/LN106 LEAF SPRING FRONT AND REAR 1979-1/1984 (REF THX001K)
HILUX RN46/LN106 LEAF SPRING FRONT AND REAR 2/1984-1997 (REF THX001KA)****Front Suspension**

Description		Part #	Qty	Notes
Leaf Spring		THX 01-6D/S	1	6 leaf RHS front spring to 35kg (diesel)
		THX 01-6N/S	1	6 leaf LHS front spring to 35kg (diesel)
Shock Absorber		G36-5569	2	Gas charged
Steering Damper		SD 4021	1	Pin - eye/pin
Bush Kit		UK 732	1	Urethane bush kit
Fixed Pin		SP 385G	2	Greasable pin
Shackle		SK 384G	2	Greasable shackle
		SK 384EXG	2	Greasable shackle extended
U/Bolt		UB 437	1	Driver's side square top
		UB 678	1	Driver's side square forged top
		UB 437A	2	Near side square top

Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		THX 02	2	7 (5+2) leaf constant 250kg
Shock Absorber		G36-5562	2	To 01/1984 gas charged
		G36-5561	2	02/1984 on gas charged
Bush Kit		UK 733	1	Urethane bush kit
Fixed Pin		SP 385G	2	Greasable pin
Shackle		SK 386G	2	Greasable shackle
		SK 386EXG	2	Greasable shackle extended
U/Bolt		UB 437A	4	Square top U-bolt

Make: TOYOTA**Model: HILUX IFS/LEAF SINGLE, DUAL and EXTRA CAB 08/1988-03/2005 (REF THX004K)****Front Suspension**

Description		Part #	Qty	Notes
Torsion Bar		TB 1646	1 pair	26mm Ø x 1065mm
Shock Absorber		G36-5538	2	Gas charged
Steering Damper		SD4033	1	Petrol and non turbo diesel models, eye - eye/pin








Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		THX 04	2	7 (5+2) leaf constant 250kg
Shock Absorber		G36-5521	2	Gas charged
Bush Kit		UK 747	1	Urethane bush kit
Fixed Pin		SP 385/1	2	14mm pin
Shackle		SK 386/1G	2	Greasable shackle
U/Bolt		UB 437A	4	Square top U-bolt

Make: TOYOTA**Model: HILUX 4 RUNNER IFS/LEAF REAR LN61, YN63 08/1985-1989 (REF THX002K)****Front Suspension**

Description		Part #	Qty	Notes
Torsion Bar		TB 1646	1 pair	26mm Ø x 1065mm
Shock Absorber		G36-5538	2	Gas charged
Steering Damper		SD4033	1	Petrol and non turbo diesel models, eye - eye/pin

Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		THX 02	2	7 (5+2) leaf constant 250kg
Shock Absorber		G36-5561	2	Gas charged
Bush Kit		UK 733	1	Urethane bush kit
Fixed Pin		SP 385G	2	14mm pin
Shackle		SK 386G	2	Greasable shackle
		SK 386EXG	2	Greasable shackle extended
U/Bolt		UB 437A	4	Square top U-bolt



Make: TOYOTA

Model: 4 RUNNER / SURF 130 CHASSIS (REF THX003K)

Front Suspension

Description		Part #	Qty	Notes
Torsion Bar		TB 1646	1 pair	26mm Ø x 1065mm
Shock Absorber		G36-5538	2	Gas charged
Steering Damper		SD4033	1	Petrol and non turbo diesel models, eye - eye/pin




Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		THX 101	1 pair	Constant 100kg
		THX 101HD	1 pair	Constant 175kg
Shock Absorber		G36-5563	2	Gas charged



Make: TOYOTA

Model: SURF 185 CHASSIS (REF TPRO01K)

Front Suspension

Description		Part #	Qty	Notes
Coil Spring		TPR 101	1 pair	Up to 55kg constant
		TPR 101HD	1 pair	Up to 55kg - 85kg constant
Shock Absorber		G38-5636	2	Gas charged strut
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle

Rear Suspension







Description		Part #	Qty	Notes
Coil Spring		TPR 103	1 pair	Constant 100kg
		TPR 103HD	1 pair	Constant 250kg
Shock Absorber		G36-5585	2	Gas charged









Make: TOYOTA

Model: HILUX KUN 3.0L TD, GGN 4L V6 / VIGO (REF THX005K)

Front Suspension

Description		Part #	Qty	Notes
Coil Spring		TPR 101HD	1 pair	30mm raised to 40kg constant
		TPR 104	1 pair	To 60kg constant
		TPR 104HD	1 pair	70kg - 100kg constant
Shock Absorber		G38-5638	2	Gas charged strut
Monotube Remote Reservoir Shock Absorber		MXA5 - 4680A50	2	High performance 46mm gas charged adjustable 8 stage
Strut Cap		10-1083	2	Replacement strut top cap
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle
Upper Control Arms		UCAB01-01-0	1 pair	







Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		THX 05	2	6 (4+2) leaf constant 300kg
		THX 05GVM	2	7 (5+2) leaf constant 500kg
		THX 05P	2	3 (2+1) leaf parabolic option constant 300kg
Shock Absorber		G36-5561	2	Gas charged
		G36-5521	2	Gas charged use with THX 05GVM
Monotube Remote Reservoir Shock Absorber		MXA5 - 4046P	2	High performance 46mm gas charged adjustable 8 stage
Bush Kit		UK 766	1	Urethane bush kit
Fixed Pin		SP 385/1	2	14mm pin
Shackle		SK 387G	2	Greasable shackle
U/Bolt		UB 437A	4	Square top U-bolt
Centre Bearing Spacer		CBS 02	1	Centre bearing spacer

Make: TOYOTA

Model: HILUX GUN 126, GGN 10/2015 on (REF THX006K)

Front Suspension

Description		Part #	Qty	Notes
Coil Spring		TPR 104HD	1 pair	To 60kg constant
		TPR 104HHD	1 pair	70kg - 100kg constant
Shock Absorber		G38-5665	2	Gas charged strut
Monotube Remote Reservoir Shock Absorber		MXA5 - 4680A50	2	High performance 46mm gas charged adjustable 8 stage
Strut Cap		10-1083	2	Replacement strut top cap
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle
Upper Control Arms		UCAB01-01-0	1 pair	





Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		THX 06	2	6 (4+2) leaf constant 250kg
		THX 06GVM	2	7 (5+2) leaf constant 400kg
		THX 06GVM8	2	8 (6+2) leaf constant 500kg
		THX 06P	2	4 (3+1) leaf parabolic option constant to 250kg
Shock Absorber		G36-5521	2	Gas charged
Monotube Remote Reservoir Shock Absorber		MPA5 - 6024PL	1	Left side piggy back
		MPA5 - 6024PR	1	Right side piggy back
Lower Mount Shock Spacer		B-001	1	Optional Spacer Kit for Rear Shocks
Bush Kit		UK 766	1	Urethane bush kit
Fixed Pin		SP 385/1	2	14mm pin
Shackle		SK 391G	2	Greasable shackle
U/Bolt		UB 437A	4	Square top U-bolt
		UB 437	4	Square top U-bolt use with THX 06GVM8
Centre Bearing Spacer		CBS 02	1	Centre bearing spacer



Make: TOYOTA

Model: PRADO VZJ/KZJ 95 (REF TPRO01K)

Front Suspension

Description		Part #	Qty	Notes
Coil Spring		TPR 101	1 pair	Up to 55kg constant
		TPR 101HD	1 pair	55kg - 85 kg constant
Shock Absorber		G38-5636	2	Gas charged strut
Strut Cap		10-1086	2	Replacement strut top cap
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle






Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		TPR 103	1 pair	Constant 100kg
		TPR 103HD	1 pair	Constant 250kg
Shock Absorber		G36-5585	2	Gas charged




Make: TOYOTA

Model: PRADO 120 SERIES (REF TPRO02K)

Front Suspension

Description		Part #	Qty	Notes
Coil Spring		TPR 104	1 pair	Up to 55kg constant
		TPR 104HD	1 pair	55kg - 85kg constant
Shock Absorber		G38-5637	2	Gas charged strut
Monotube Remote Reservoir Shock Absorber		MXA5 - 6606A50	2	High performance 46mm gas charged adjustable 8 stage
Strut Cap		10-1083	2	Replacement strut top cap
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle






Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		TPR 105	1 pair	Constant 100kg
		TPR 105HD	1 pair	Constant 250kg
Shock Absorber		G36-5586	2	Gas charged
Monotube Remote Reservoir Shock Absorber		MPA5 - 6006P	2	High performance 46mm gas charged adjustable 8 stage




Make: TOYOTA

Model: PRADO 150 SERIES (REF TPRO03K)

Front Suspension

Description		Part #	Qty	Notes
Coil Spring		TPR 104HD	1 pair	Up to 55kg constant
		TPR 104HHD	1 pair	55kg – 85kg constant
Shock Absorber		G38-5637	2	Gas charged strut
Monotube Remote Reservoir Shock Absorber		MXA5 - 6606A50	2	High performance 46mm gas charged adjustable 8 stage
Strut Cap		10-1083	2	Replacement strut top cap
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle

Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		TPR 105	1 pair	Constant 100kg
		TPR 105HD	1 pair	Constant 250kg
Shock Absorber		G36-5586	2	Gas charged
Monotube Remote Reservoir Shock Absorber		MPA5 - 6006P	2	High performance 46mm gas charged adjustable 8 stage

TOYOTA LANDCRUISER PRADO 120/150 SERIES WITH KDSS SYSTEM

Please note when fitting springs to Toyota Landcruiser Prado 120/150 Series fitted with Toyota's Kinetic Dynamic Suspension System (KDSS), also referred to by Toyota as a "hydro-mechanical semi active anti roll bar". This fitting procedure must be strictly adhered to when removal of any suspension component is performed.


FAILURE TO ADHERE TO THIS PROCEEDURE WILL RESULT IN A MALFUNCTION OR DAMAGE TO THE KDSS SYSTEM

Please be advised of the fitting procedure:

1. Suspend vehicle on 2-post type chassis hoist allowing wheels to hang.
2. Locate the KDSS accumulator.
NOTE: The valve housing is located on the left-hand side of the vehicle, on the inside of the chassis rail, roughly halfway between the front and the back of the vehicle.
3. Remove the steel protective shield.
4. Locate shutter valve bolts on the side of the accumulator.



**Unscrew the shutter valve bolts 1 1/2 - 2 turns MAXIMUM
DO NOT REMOVE SHUTTER VALVE BOLTS OR UNSCREW
ANY FURTHER THAN ADVISED**



5. The KDSS system is now open and the sway bar ends should be able to be freely manipulated with little effort, allowing spring / strut removal and installation.



NOTE: THE VEHICLE MUST NOT BE DRIVEN WITH THESE VALVES OPEN AS THIS WILL COMPROMISE THE SYSTEM AND RENDER THE VEHICLE UNSAFE TO DRIVE.

6. With the vehicle sitting on level ground, close both KDSS leveling valves by turning them in a clockwise direction and then tightening. Reinstall protective shield.




Make: TOYOTA

Model: FJ CRUISER (REF TPRO04K)

Front Suspension

Description		Part #	Qty	Notes
Coil Spring		TPR 104	1 pair	Up to 55kg constant
		TPR 104HD	1 pair	55kg - 85kg constant
Shock Absorber		G38-5637	2	Gas charged strut
Monotube Remote Reservoir Shock Absorber		MXA5 - 6606A50	2	High performance 46mm gas charged adjustable 8 stage
Strut Cap		10-1083	2	Replacement strut top cap
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle






Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		TPR 105	1 pair	Constant 100kg
		TPR 105HD	1 pair	Constant 250kg
Shock Absorber		G36-5586	2	Gas charged
Monotube Remote Reservoir Shock Absorber		MPA5 - 6006P	2	High performance 46mm gas charged adjustable 8 stage




Make: TOYOTA

Model: FORTUNER 07/2015 (REF TFRO01K)

Front Suspension

Description		Part #	Qty	Notes
Coil Spring		TPR 104	1 pair	To 60kg constant
		TPR 104HD	1 pair	70kg - 100kg constant
Shock Absorber		G38-5665	2	Gas charged strut
Strut Cap		10-1083	2	Replacement strut top cap
Strut Spacer		10-1091	2	6mm thick for trimming or raising vehicle
Upper Control Arms		UCAB01-01-0	1 pair	



Rear Suspension

Description		Part #	Qty	Notes
Coil Spring		TFR 100	1 pair	Constant 100kg
		TFR 100HD	1 pair	Constant 250kg
Shock Absorber		G36-5587	2	Gas charged
Centre Bearing Spacer		CBS 02	1	Centre bearing spacer

Make: VOLKSWAGEN

Model: AMAROK (REF VW001K)

Front Suspension

Description		Part #	Qty	Notes
Coil Spring		VW 101	1 pair	4CYL
		VW 101H	1 pair	4CYL HD/V6
		VW 101HH	1 pair	V6 HD
Shock Absorber		G38-5655	2	Gas charged strut
Strut Cap		10-1082	2	Replacement strut top cap

Rear Suspension

Description		Part #	Qty	Notes
Leaf Spring		VW 01	2	6 (4+2) leaf constant 250kg
Shock Absorber		G36-5565	2	Gas charged
Bush Kit		UK 780	1	Urethane bush kit (springs only)
U/Bolt		UB 415	4	Round top U-bolt



Coil Spring Specifications

Part #	Wire Diameter (mm)	Free Length (mm)	
		Driver's	Passenger
FORD 100	18	370	370
FORD 100HD	18.5	375	375
FORD 106	18	470	470
FORD 106HD	18.5	470	470
HOL 101	16	420	420
HOL 101HD	17	420	420
HOL 106	15	405	405
JEEP 100	15	455	455
JEEP 101	15	450	440
JEEP 102	15	450	440
JEEP 103	14	390	380
JEEP 104	16	340	330
JEEP 106	17	360	350
JEEP 107	16	375	375
JEEP 107HD	17	400	390
JEEP 108	17	320	320
JEEP 109	14	450	450
JEEP 111	14.5	460	460
JEEP 112	15	465	465
JEEP 113	14	400	400
JEEP 114	14.5	400	400
JEEP 115	18	345	345
JEEP 116	17	340	330
JEEP 117	17	330	330
JEEP 118	16	320	320
LAN 102	21	410	410
LAN 102HD	22	410	410
LAN 106	16	395	385
LAN 107	16	385	375
LAN 107HD	17	400	390
LAN 108	15	410	390
LAN 112	17	435	425
LAN 113	17	430	420
LAN 113HD	18	425	415
MAZD 100	18	360	360
MAZD 100HD	18.5	365	365
MAZD 100SH	18	340	340
MIT 100	18	325	325
MIT 100HD	19	320	320
MIT 100EHD	20	325	325
MIT 101	17	400	390
MIT 101HD	18	400	390
MIT 102	16	400	390
MIT 103	21	350	340
MIT 103HD	22	330	320
MIT 106	21	335	325
MIT 109	18	320	320
MIT 109H	18	330	330
MIT 109HD	19	320	320
NIS 101	17	405	390
NIS 101HD	18	405	390
NIS 101HL3	18	460	450
NIS 102	16	400	400
NIS 109	19	465	450
NIS 111	21	485	455
NIS 111SP	21	470	455

Part #	Wire Diameter (mm)	Free Length (mm)	
		Driver's	Passenger
NIS 112	14	430	430
NIS 114	18	470	460
NIS 114HD	20	470	460
NIS 114EHD	22	470	460
NIS 114HL3	20	510	495
NIS 116	15	360	360
NIS 126	17	375	375
NIS 126HD	17	360	360
NIS 126HHD	17	375	375
NIS 127	19	445	445
NIS 130	16	450	450
NIS 130HD	17	450	450
SUZ 101	15	290	290
SUZ 102	16	285	285
SUZ 103	16	295	295
SUZ 105	16	335	335
SUZ 106	11.5	350	350
SUZ 108	11.5	345	345
SUZ 109	12.5	335	335
SUZ 111	12.5	360	360
SUZ 112	12	325	305
TFR 100	16	465	465
TFR 100HD	16	480	480
THX 101	16	390	380
THX 101HD	17	370	360
TLC 102HL3	19	515	525
TLC 103	17	460	460
TLC 103HD	18	460	460
TLC 106	17	475	485
TLC 106HD	18	460	470
TLC 107	16	440	440
TLC 108	17	460	470
TLC 109	19	460	470
TLC 113HL3	20	480	490
TLC 116	18	460	470
TLC 116HD	20	460	470
TLC 117	18	455	445
TLC 118	18	430	430
TLC 118H	18	460	460
TLC 118HD	19	430	430
TLC 118HHD	19	450	450
TLC 119	18	450	430
TLC 119HD	19	450	430
TLC 119HHD	20	450	430
TPR 101	17	350	350
TPR 101HD	17	365	365
TPR 103	17	390	390
TPR 103HD	18	380	380
TPR 104	17	375	375
TPR 104HD	18	370	370
TPR 104HHD	18	390	390
TPR 105	17	390	390
TPR 105HD	18	390	390
VW 101	18	305	305
VW 101H	18	315	315
VW 101HH	18	325	325

Shock Absorber Reference Chart


Part #	Upper Mount	Lower Mount	Closed (mm)	Open (mm)
G2491L	PIN 14	PIN 14	310	517
G2492L	EB2 - 19ID	EB2 - 19ID	409	666
G36-3204	PIN 10	BARPIN	338	560
G36-3205	CR2 - 12x46	CR2 - 12x36	358	586
G36-3206	CR2 - 12x46	CR2 - 12x41	358	586
G36-3207	CR2 - 16x35	CR1 - 12x36	358	586
G36-3236	BARPIN	EB1 - 16x36	350	565
G36-3237	PIN 10	BARPIN	338	560
G36-3253	PIN 10	EB1 - 12x32	211	304
G36-3293	BARPIN	CR1 - 12x36	345	560
G36-3294	CR1 - 12x46	CR1 - 12x36	345	560
G36-3295	PIN 12	EB1 - 12x40	350	580
G36-3296	BARPIN	CR1 - 12x40	392	650
G36-3297	EB1 - 12x46	CR2 - 12x40	392	650
G36-5481	PIN 10	EB1 - 12x32	268	435
G36-5482	EB1 - 12x32	EB1 - 12x32	302	492
G36-5483	PIN 10	EB1 - 16ID	300	517
G36-5487	EB1 - 12ID	EB1 - 12ID	302	493
G36-5488	PIN 10	RB1 - 16ID	311	505
G36-5491	EB1 - 12x37.5	EB1 - 12x37.5	355	568
G36-5492	PIN 10	EB2 - 12x40	368	613
G36-5521	EB2 - 19ID	EB2 - 19ID	380	630
G36-5522	EB2 - 20ID	EB2 - 12x40	380	630
G36-5523	EB2 - 16ID	EB2 - 16ID	380	630
G36-5526	EB2 - 19ID	PIN 14	385	660
G36-5527	EB2 - 16ID	EB2 - 14x41	363	595
G36-5528	CR2 - 14x48	CR2 - 14x48	265	385
G36-5530	PIN 10	BARPIN	232	350
G36-5535	PIN 10	CR1 - 12x32	242	380
G36-5538	PIN 10	CR2 - 16x38	242	370
G36-5543	PIN 14	PIN 14	365	615
G36-5546	PIN 14	PIN 14	310	517
G36-5548	EB2 - 19ID	EB2 - 19ID	409	666
G36-5550	PIN 14	EB2 - 19ID	369	615
G36-5552	PIN 16	CR2 - 14x40	282	447
G36-5557	CR2 - 19x38	CR2 - 12x48	365	595
G36-5558	CR2 - 12x42	CR2 - 16x42	382	625
G36-5560	EB1 - 16ID	EB1 - 16ID	320	525
G36-5561	EB2 - 19ID	EB2 - 19ID	363	595
G36-5562	EB2 - 16ID	EB2 - 16ID	363	595
G36-5563	PIN 10	EB2 - 19ID	363	595
G36-5563A	PIN 10	EB2 - 16x38	363	595
G36-5563B	PIN 10	EB2 - 14x38	363	595
G36-5565	EB2 - 12x40	EB2 - 12x40	363	595
G36-5567	PIN 10	EB2 - 19ID	365	620
G36-5567B	PIN 10	EB2 - 14x38	365	620
G36-5569	PIN 3/8"	CR1 - 12x32	303	481
G36-5580	PIN 10	CR2 - 16x38	306	486
G36-5582	PIN 12	S/B - 14x48	360	592
G36-5585	PIN 10	EB2 - 19ID	323	530
G36-5586	PIN 12	S/B - 19x45	351	589
G36-5587	PIN 12	S/B - 19x45	351	589
G36-5591	EB2 - 19ID	PIN 14	368	620
G36-5592	PIN 12	PIN 12	347	572
G36-5593	CR3 - 19x40	PIN 12	338	525
G36-5595	EB2 - 14x38	EB2 - 19x44	322	525
G36-5597	EB2 - 19ID	EB2 - 16ID	322	525
G36-5598	CR3 - 12x44	BARPIN	364	590

Shock Absorber Reference Chart (continued)


Part #	Upper Mount	Lower Mount	Closed (mm)	Open (mm)
G36-5599	CR3 - 12x44	CR3 - 12x44	360	571
G36-5600	EB1 - 16ID	EB1 - 16ID	352	579
G36-5601	PIN 18	S/B - 14x62	344	578
G36-5603	EB1 - 16ID	EB1 - 16ID	440	747
G36-5604	PIN 10	CR1 - 12x32	265	413
G36-5607	EB2 - 16ID	EB2 - 12x37	378	620
G38-5624	PIN 10	CR3 - 14x50	340	473
G38-5628	PIN 17	STRUT MOUNT	340	470
G38-5629	PIN 17	STRUT MOUNT	295	465
G38-5635	PIN 17	S/B - 16x39	435	615
G38-5636	PIN 12	S/B - 14x40	346	460
G38-5637	PIN 12	S/B - 14x40	415	540
G38-5638	PIN 12	S/B - 14x40	434	568
G38-5639	PIN 10	S/B - 14x50	311	430
G38-5640	PIN 12	S/B - 14x42	283	385
G38-5641	PIN 11	NO MOUNT	206	313
G38-5642	PIN 12	NO MOUNT	403	561
G38-5644	PIN 22	STRUT MOUNT	400	590
G38-5644/1	PIN 12	NO MOUNT	430	610
G38-5644/2	PIN 12	NO MOUNT	390	570
G38-5645	PIN 22	STRUT MOUNT	390	570
G38-5645/1	PIN 12	NO MOUNT	420	600
G38-5645/2	PIN 12	NO MOUNT	541	565
G38-5646	PIN 14	STRUT MOUNT	395	595
G38-5647	PIN 14	STRUT MOUNT	360	585
G38-5650	PIN 12	S/B - 16x38	384	505
G38-5651	PIN 12	S/B - 20x50	374	490
G38-5655	PIN 12	FORK	489	615
G38-5660	PIN 12	S/B - 14x39.2	355	500
G38-5661	PIN 12	S/B - 14x39.2	360	520
G38-5665	PIN 12	S/B - 14x41	434	568
G40-5543	PIN 14	PIN 14	378	634
G40-5546	PIN 14	PIN 14	330	536
G40-5548	S/B - 19x45	S/B - 19x45	423	689
G40-5550	PIN 14	S/B - 19x45	389	635
G40-5587	PIN 17	S/B - 19x45	408	616

PIN ## = Pin diameter (mm)
 CR1 ## = COTTON REEL BUSH (mm)
 CR2 ## = COTTON REEL (mm)
 CR3 ## = COTTON REEL (mm)
 EB1 ## = EYE BUSH (mm)
 EB2 ## = EYE BUSH (mm)
 S/B = SILENT BLOCK BUSH


TYPE A




TYPE B



TYPE C



TYPE D



Steering Damper Reference Chart

Part #	Type	Upper Mount	Lower Mount	Open (mm)	Closed (mm)
SD4011	D	PIN	PIN	525	306
SD4012	B	EYE	EYE	655	395
SD4021	C	PIN	EYE/PIN	542	342
SD4022	B	EYE/PIN	EYE	540	325
SD4023	A	EYE/PIN	EYE/PIN	457	320
SD4025	A	EYE/PIN	EYE/PIN	750	440
SD4030	B	EYE	EYE	445	290
SD4033	E	EYE	EYE/PIN	613	363
SD4034	B	EYE	EYE	557	346
SD4035	B	EYE	EYE	493	301
SD4036	D	PIN	PIN	488	290
SD4046	A	EYE/PIN	EYE/PIN	685	424
SD4501	A	EYE/PIN	EYE/PIN	535	335

TYPE A



TYPE B



TYPE C



TYPE D



TYPE E



TYPE F






4WD Shackle Bush Kits

Part #	Contents		
UK701	2xU674T	4xU675	4xU677
UK704	4xU424	8xU426	
UK705	2xU728T	4xU426	
UK710	2xU549	2xU550	4xU611
UK711	4xU549	4xU611	
UK712	4xU611	4xU612	4xU613
UK713	12xU113		
UK714	12xU114		
UK715	4xU675	4xU676	4xU677
UK718	8xU419	4xU420	
UK719	12xU419		
UK720	12xU420		
UK721	4x3050	2xU147T	
UK722	2xU147T	4xU422	4xU423
UK724	2x3050	2xU147T	4xU424
UK728	2xU728T	8xU433	
UK732	4xU432	8xU433	
UK733	12xU433		
UK734	2xU434T	8xU434	
UK742	4xU418	8xU417	4xEBT141886
UK742-18	4xU418	8xU417	
UK747	2xU728T	4xU433	4xU758
UK756	4xU754	4xU680	4xU753
UK760	2xU760	4xU759	
UK761	2xU761	2xU672	2xU765
UK762	4xU675	4xU677	2xU775
UK763	2xU790T	4xU791	4xU677
UK766	2xU766T	4xU767	4xU768
UK767	2xU728T	4xU426	4xU427
UK768	4xU767	4xU768	4xU776
UK768DC	2xU766T	4xU676	4xU768
UK769	2xU766T	4xU680	4xU753
UK770	2xU683T	4xU681	4xU682
UK780	2xU780T	3xU781T	
UK867	2xU766T	4xU432	4xU433
UK868	2xU766T	4xU433	4xU792

4WD Suspension U-Bolt Dimensions

Part #	Type	Material	Inside Width	Inside Length
UB258	RND	11	75	190
UB415	RND	14	83	210
UB416	RND	14	83	230
UB416HD	RND	16	83	230
UB417	RND	14	83	250
UB436	SQ	16	72	210
UB436HD	SQ	16	72	210
UB437	SQ	14	62	210
UB437A	SQ	14	62	190
UB449	SQ	14	85	230
UB449HD	SQ	16	75	240
UB450	S/RND	16	80	330
UB451	RND	12	75	190
UB452	SQ	12	62	105
UB453	RND	14	95	210
UB464	SQ	14	72	170
UB471	SQ	14	77	230
UB472	RND	16	90	265
UB473	RND	14	90	200
UB474	SQ	12	72	170
UB654	RND	11	82	160
UB655	RND	11	72	140
UB658	RND	12	65	170
UB659	RND	12	80	170
UB660	SQ	12	62	185
UB663	RND	12	90	220
UB668	SQ	14	72	230
UB670	RND	14	95	230
UB671	RND	14	110	255
UB671HD	RND	16	110	255
UB673	RND	12	70	170
UB674	RND	13	86	190
UB678	SQ FORGED	14	62	210






Leaf Spring Specifications

Part #	Type	No. of Leaves	Material		Main Leaf Dimensions		Spring Camber (mm)
			Primary Pack	Secondary Pack	A (mm)	B (mm)	
DAT 03	A	6	60 x 7	N/A	515	640	165
DAT 04	B	5+1	60 x 7	60 x 11	550	625	150
DAT 06	B	5+2	60 x 7	60 x 11	520	710	150
FORD 29P	A	3	75 x 16 Parabolic	N/A	698	714	105
FORD 33	B	5+1	75 x 9.2 & 8.2	75 x 20	635	845	250
HOL 01	B	5+2	60 x 7	60 x 13	550	650	220
HOL 02	B	4+2	60 x 8	60 x 13	600	600	165
HOL 02HD	B	5+2	60 x 8	60 x 13	600	600	165
HOL 03	B	4+2	60 x 8	60 x 13	610	750	165
HOL 03GVM	B	5+2	60 x 8	60 x 13	610	750	165
ISUZU 01	B	3+1	60 x 10 & 8	60 x 18	610	750	150
ISUZU 01HD	B	4+1	60 x 10 & 8	60 x 18	610	750	150
LDV 01	B	4+2	60 x 8	60 x 13	600	600	145
LDV 01HD	B	5+2	60 x 8	60 x 13	600	600	145
MAZD 01	B	5+2	60 x 7	60 x 11	530	675	125
MAZD 01HD	B	6+2	60 x 7	60 x 11	530	675	125
MAZD 02	B	4+2	60 x 8	60 x 12	585	740	115
MAZD 02HD	B	5+2	60 x 8	60 x 12	585	740	115
MAZD 03	B	4+2	60 x 10 & 8	60 x 13	585	745	120
MAZD 03GVM	B	5+2	60 x 10 & 8	60 x 13	585	745	120
MIT 32	B	4+1	70 x 7	70 x 13	520	685	165
MIT 33	B	5+2	70 x 7	70 x 11	520	685	120
MIT 33HD	B	6+2	70 x 7	70 x 11	520	685	120
MIT 34	B	5+2	60 x 8	60 x 13	550	775	120
MIT 34HD	B	6+2	60 x 8	60 x 13	550	775	120
NIS 04 D/S - N/S	A	7	70 x 7	N/A	610	830	265/255
NIS 05	A	7	60 x 7	N/A	550	550	170
NIS 11	A	7	70 x 7	N/A	550	550	150
NIS 12 D/S-N/S	B	7+2	70 x 7	70 x 13	590	830	180/170
NIS 12P D/S-N/S	B	2+1	70 x 14 Parabolic	70 x 22 Parabolic	590	830	170
NIS 13	B	3+2	60 x 8	60 x 12	565	635	130
NIS 14	B	4+2	60 x 8	60 x 12	655	735	160
NIS 14HD	B	5+2	60 x 8	60 x 12	665	735	160
NIS 15	B	7+2	70 x 10 & 7	70 x 13	590	830	150
NIS 16	B	4+2	60 x 8	60 x 12	665	600	190
SUZI 01	A	4	50 x 7	N/A	470	470	105
SUZI 02	B	3+2	50 x 7	50 x 8	505	505	135
SUZI 03	A	4	50 x 7	N/A	475	475	125
SUZI 05	B	4+1	50 x 7	50 x 10	505	535	155
THX 01-6 D/S-N/S	A	6	60 x 7	N/A	577	577	140/120
THX 02	B	5+2	60 x 7	60 x 11	530	670	180
THX 04	B	5+2	60 x 7	60 x 13	560	740	190
THX 05	B	4+2	60 x 8	60 x 13	610	690	165
THX 05GVM	B	5+2	60 x 8	60 x 13	610	690	145
THX 05P	B	2+1	60 x 12 & 16 Parabolic	60 x 23 Parabolic	610	690	145
THX 06	B	4+2	60 x 8	60 x 13	700	690	160
THX 06GVM	B	5+2	60 x 8	60 x 13	700	690	160
THX 06GVM8	B	6+2	60 x 8	60 x 13	700	690	130
THX 06P	B	3+1	60 x 12.5 & 13.5 Parabolic	60 x 8	700	700	125
TLC 01	A	8	70 x 7	N/A	502	603	155
TLC 02	A	7	70 x 7	N/A	502	630	200
TLC 03	B	7+3	70 x 7	70 x 11	660	660	230
TLC 04	A	8	70 x 7	N/A	502	603	155


Leaf Spring Specifications (continued)

Part #	Type	No. of Leaves	Material		Main Leaf Dimensions		Spring Camber (mm)
			Primary Pack	Secondary Pack	A (mm)	B (mm)	
TLC 04R	A	7	70 x 7	N/A	502	630	200
TLC 05	B	7+3	70 x 7	70 x 11	655	675	230
TLC 06	A	6	70 x 7	N/A	550	550	190
TLC 07 D/S-N/S	B	6+1	70 x 7	70 x 13	565	645	220/205
TLC 08	A	7	70 x 7	N/A	550	590	180
TLC 08-8	A	8	70 x 7	N/A	550	590	180
TLC 08P	A	2	70 x 13 Parabolic	N/A	550	590	185
TLC 09-9	B	7+2	70 x 7	70 x 13	603	720	220
TLC 09-10	B	8+2	70 x 7	70 x 13	603	720	220
TLC 09-11	B	9+2	70 x 7	70 x 13	603	720	220
TLC 09P	B	2+1	70 x 16 Parabolic	70 x 22 Parabolic	608	730	185
TLC 12	B	7+2	70 x 7	70 x 13	690	810	235
TLC 12-10	B	8+2	70 x 7	70 x 13	690	810	235
TLC 12-11	B	9+2	70 x 7	70 x 13	690	810	235
TLC 12GVM	B	8+2	70 x 10 & 7	70 x 13	690	810	220
TLC 12P	B	2+1	70 x 15 Parabolic	70 x 29 Parabolic	690	810	210
TLC 12PHD	B	3+1	70 x 15 Parabolic	70 x 29 Parabolic	690	810	210
TLC 15	B	4+2	70 x 10 & 7	70 x 13	600	790	210
TLC 15GVM	B	5+2	70 x 10 & 7	70 x 13	600	780	210
TLC 15P	B	2+1	70 x 15 Parabolic	70 x 29 Parabolic	600	780	180
VW 01	B	4+2	70 x 10 & 8	70 x 13	745	745	180

TYPE A
(Single Stage Spring)



TYPE B
(Two Stage Spring)



Suspension Installation Form

This form is to be completed and returned to Jenkins Springs within 30 days by the WCS Distributor to validate installation of suspension products.

Date: _____

Customer Details

Customer Name:			
Telephone:			
Address:			
Suburb / Town:		Postcode:	State:
Vehicle:	Model:	Month / Year Built:	Odo:
Rego No:	Chassis No:	Rated GVM:	

Distributor Name:

Address:			
Suburb / Town:		Postcode:	State:
Telephone:		Email:	
Contact Person:			
New Steering Damper Fitted <input type="checkbox"/>	Poly Bushes Fitted—Front <input type="checkbox"/>	Poly Bushes Fitted—Rear <input type="checkbox"/>	
New U-Bolts Fitted: Front <input type="checkbox"/> Rear <input type="checkbox"/>			

Free height / camber of springs to be fitted

DSF:	DSR:	NSF:	NSR:
------	------	------	------

Place an "X" in the appropriate box to show if accessories are fitted and the position of the accessories

Bull Bar:	Alloy <input type="checkbox"/>	Steel <input type="checkbox"/>	Winch <input type="checkbox"/>	Side Bars <input type="checkbox"/>	Power Steering <input type="checkbox"/>	Air Conditioning <input type="checkbox"/>
-----------	--------------------------------	--------------------------------	--------------------------------	------------------------------------	---	---

Driver Side Front

Shock Part No:
Spring Part No:

Ride Height Before:
Ride Height After:


Driver Side Rear

Shock Part No:
Spring Part No:

Ride Height Before:
Ride Height After:

Rim Size

- ☐ 16 inch
☐ 17 inch
☐ Other

<input type="checkbox"/> Battery Engine <input type="checkbox"/> Petrol <input type="checkbox"/> Diesel <input type="checkbox"/> Turbo Cylinders No. <input type="checkbox"/> Battery	500km Recheck Ride Heights DSF PSF DSR PSR	Main Fuel Tank (ltrs) Auxiliary Tanks (ltrs) Fuel Water	Position 
---	---	---	--

- ☐ Polyair Bags
☐ Canopy if Ute
☐ Towbar

Roof Rack

- ☐ Alloy
☐ Steel

Tyre Carrier Position

- ☐ D/S
☐ CTR
☐ P/S

Near Side Front

Shock Part No:
Spring Part No:

Ride Height Before:
Ride Height After:

Near Side Rear

Shock Part No:
Spring Part No:

Ride Height Before:
Ride Height After:

Warranty Assessment Form

Date:

Distributor / Reseller Details

Company:

Telephone:

Contact Person:

Email:

Address:

Suburb / Town:

Postcode:

State:

Warranty Details

Part Number:

Batch Code:

Vehicle:

Model:

Year:

Fitted / Sold Date:

Failure Date:

KMs since fitted:

Installed by:

Invoice No:

Invoice date:

Installation Form No:

Accessories fitted to Vehicle e.g. Bullbar, winch, etc.:

Vehicle Owner Details

Name:

Address:

Suburb / Town:

Postcode:

State:

Reason for goods being returned Please tick the appropriate defect.

☐ Noise

☐ Oil Leak

☐ Control

☐ Broken/Worn

☐ Broken Coil/Leaf

☐ Rattle

☐ Seal-Top

☐ Stiff/Hard

☐ Top Mount Broken

☐ Coil

☐ Knock/Thump

☐ Top Seam Weld

☐ Seized

☐ Bottom Mount Broken

☐ Leaf - Main Wrap

☐ Swish

☐ Bottom Seam Weld

☐ Binding

☐ Top Rubber Worn

☐ Fold Over

☐ Squeak

☐ Arc Weld

☐ Weak

☐ Bottom Rubber Worn

☐ Bolt Clip

☐ Split Tube

☐ No Gas Pressure


☐ Loose Shroud

Vehicle Heights must be taken on a flat level surface.


Leaf Springs—Measure from top of spring to underside of chassis. **Coil Springs**—Measure the height of the coil in the vehicle.

Please mark the location of the defective part/s on the drawing below with an "X" and mark parts with location.

Before



After



Office Use Only

Date rec'd:

Rec'd by:

Claim:

☐ Accepted / ☐ Denied

Approval No.:

Comments:

Warranty Terms and Conditions

Jenkins Springs Pty Ltd trading as West Coast Suspensions—4WD Warranty Statement

West Coast Suspensions (hereafter referred to as WCS) warrant all WCS four-wheel drive parts to the original purchaser for a period of 3 years or 100,000 kilometres whichever occurs first for private vehicles. Commercial and Fleet vehicles warranty is for a period of 1 year or 20,000 kilometres whichever occurs first. Limited warranty would apply to product distributed internationally. This would need to be scheduled at point of purchase. Performance parts such as remote reservoir shocks are warranted for a period of 12 months or 20,000 kilometres.

WCS reserves the right to repair or replace, at their discretion, any product found to be defective in either material or workmanship, within the warranty period, provided the failure or breakage was incurred under conditions of normal use.

No claim for warranty will be entered into when product has been damaged due to; negligent use of product, driver abuse, accident damage or motor sport.

Limited warranty would apply to product distributed internationally, mining and fleet applications. These would need to be scheduled at point of purchase. Furthermore, WCS will not warrant any product when used contrary to that specified by the current WCS catalogues or WCS company personnel.

WCS will not be liable for claims when product has been incorrectly installed or installed to mating parts which are of unacceptable tolerances.

Labour will only be covered under warranty provided the parts were originally fitted by WCS. Claims for labour costs which are incurred by the end user for removal and refit when product was originally installed by the end user will not be entered into.

All costs incurred for freight for the return of failed product or to replace the failed product is the responsibility of the end user (see 'Warranty Procedure' in next column).

WCS accept no responsibility for consequential damages to associated products relating to the failure of the component or injury to any person or persons or possessions. WCS will not be liable for claims for inconvenience caused or commercial loss due to product failure.

WCS reserves the right to modify or change product specification and accept no obligation to provide modification to product previously manufactured and distributed.

Although every effort has been made to ensure that the printed information in the catalogue is correct, WCS must disclaim responsibility for specification and application errors.

It is the responsibility of the end user to establish that the products being purchased comply with local vehicle modification legislation.

West Coast Suspensions—4WD Warranty Procedure

To ensure prompt processing for claims on components deemed to be defective WCS ask that the following procedure be adhered to. Failure to follow procedure could result in a delayed assessment of your warranty claim.

The installer or end user will be required to make contact with WCS Warranty department and inform them of the pending warranty. Once an approval number has been issued the suspect product and relevant documentation (eg. copy of invoice and completed WCS Assessment Form) can be transported to WCS.

Reimbursement for labour costs will be covered only if the parts were originally fitted by WCS. Those claims for labour costs which are incurred by the end user for removal and refit when the product was originally installed by the end user will not be entered into.

Furthermore, the costs incurred for freight for the return of the failed product or to replace failed product is the responsibility of the end user.

The WCS Warranty officer will at his discretion make a decision concerning the claim. The Warranty officer will repair, modify or replace the defective component.

Excluded from warranty will be any item where breakage or premature wear has occurred due to incorrect installation or when components are fitted to mating parts which have unacceptable tolerances.

Read this to save money and time...

Have you ever heard these words "But it was level before you worked on it..." and been unable to dispute them with hard facts? Get the facts before you start pulling the vehicle apart.

Please spend the few minutes it takes to complete this form as this could save you hours of work rectifying a problem that need not have occurred.

All measurements must be taken with the vehicle on level ground. Measurements taken after installation must be done after the vehicle has been road tested and the new parts have settled.

Ride heights are measured in millimetres from the centre of the wheel hub to the wheel arch. If flares are fitted, measure to the lip of the metal part of the guard (see Diagram 1). On some vehicles, (eg. cab chassis) this is not possible or practical. In this instance, measurements should be taken between the bumpstop and its striker plate (see Diagram 2).

If a vehicle measures "lop-sided" at the wheel arch, also check the bumpstop clearances - this will help to determine if the chassis is bent or the body is not true to the chassis. Measure and record on the installation form the free height of the new coils, or the free camber of the new leaves, before fitting to the vehicle. Also take note of the old coils or leaves once removed - are there any discrepancies in the new height/camber? Were the tallest ones on the driver or passenger side? This information is invaluable when sorting problems with vehicles that don't sit level.




Diagram 1




Diagram 2

Ford Ranger 2 (PX2/PX3) 3500kg GVM Upgrade

West Coast Suspensions is authorised under Federal approval number **47899** and to supply and fit a GVM suspension upgrade for the Ford Ranger 2 (PX2/PX3) to 3500kg GVM. This enables the operator to legally carry 300kg over the factory stipulated GVM.


This kit has been ESC tested by Bosch Australia and complies with the ADR 35-05 "Sine with Dwell" requirements and fully certified under RVCS (Road Vehicle Certification System) by the federal Dept. of Infrastructure and Regional Development.

Each GVM suspension upgrade is issued with a silver Secondary Stage Manufacturing (SSM) modification compliance plate fitted next to the OEM compliance plate, stating vehicle particulars and approval number issued as Second Stage Manufacture. The suspension modification and fixing of the silver modification plate **must** be done **prior** to any other modifications and **must** be done **prior** to the vehicle being licensed.

For vehicles that have already been road registered, the process varies from state to state. The vehicle may be required to be inspected by an authorised Automotive Engineer in that state to be issued with a compliance certificate.

Please be aware that these kits must be fitted by a RVCS registered production facility.

All relevant application and approval forms for vehicle particulars will be available from West Coast Suspensions staff at time of purchase.



Suspension kit consists of:

- 2 Front coil springs
- 2 Rear leaf springs
- 2 Front struts
- 2 Rear shock absorbers
- 4 U-Bolts
- 1 Shackle bush kit
- 2 Swinging shackles
- 2 Fixed pins
- 1 Centre bearing spacer
- 1 Silver SSM Compliance plate
- 1 GVM tyre placard

Holden RG Colorado 3300kg GVM Upgrade

West Coast Suspensions is now authorized under Federal approval number **49093** to supply and fit a GVM suspension upgrade for the Holden RG Colorado to 3300kg GVM. This enables the operator to legally carry 150kg over the factory stipulated GVM.


Each kit is fully certified under RVCS (Road Vehicle Certification System) by the federal Dept. of Infrastructure and Regional Development.

Each GVM suspension upgrade is issued with a green Secondary Stage Manufacturing (SSM) modification compliance plate fitted next to the OEM compliance plate, stating vehicle particulars and approval number issued as Second Stage Manufacture. The suspension modification and fixing of the green (low volume) modification plate **must** be done **prior** to any other modifications and **must** be done **prior** to the vehicle being licensed.

For vehicles that have already been road registered, the process varies from state to state. The vehicle may be required to be inspected by an authorised Automotive Engineer in that state to be issued with a compliance certificate.

Please be aware that these kits must be fitted by a RVCS registered production facility.

All relevant application and approval forms for vehicle particulars will be available from West Coast Suspensions staff at time of purchase.



Suspension kit consists of:

- 2 Front coil springs
- 2 Rear leaf springs
- 2 Front struts
- 2 Rear shock absorbers
- 4 U-Bolts
- 1 Shackle bush kit
- 2 Swinging shackles
- 2 Fixed pins
- 1 Compliance plate
- 1 GVM tyre placard

Isuzu D-Max 3300kg GVM Upgrade

West Coast Suspensions is now authorized under Federal approval number **49113** to supply and fit a GVM suspension upgrade for the Isuzu D-Max to 3300kg GVM. This enables the operator to legally carry 250kg over the factory stipulated GVM.


Each kit is fully certified under RVCS (Road Vehicle Certification System) by the federal Dept. of Infrastructure and Regional Development.

Each GVM suspension upgrade is issued with a green Secondary Stage Manufacturing (SSM) modification compliance plate fitted next to the OEM compliance plate, stating vehicle particulars and approval number issued as Second Stage Manufacture. The suspension modification and fixing of the green (low volume) modification plate **must** be done **prior** to any other modifications and **must** be done **prior** to the vehicle being licensed.

For vehicles that have already been road registered, the process varies from state to state. The vehicle may be required to be inspected by an authorised Automotive Engineer in that state to be issued with a compliance certificate.

Please be aware that these kits must be fitted by a RVCS registered production facility.

All relevant application and approval forms for vehicle particulars will be available from West Coast Suspensions staff at time of purchase.



Suspension kit consists of:

- 2 Front coil springs
- 2 Rear leaf springs
- 2 Front struts
- 2 Rear shock absorbers
- 4 U-Bolts
- 1 Shackle bush kit
- 2 Swinging shackles
- 2 Fixed pins
- 1 Compliance plate
- 1 GVM tyre placard

Toyota Gen 8 Hilux 3300kg or 3500kg GVM Upgrade

West Coast Suspension is now authorized under Federal approval number **47898** to supply and fit a GVM suspension upgrade for the Toyota Gen 8 Hilux to 3300kg or 3500kg GVM. This enables the operator to legally carry 300kg-500kg over the factory stipulated GVM.

Please note: To obtain the 3500kg upgrade, the tyre load rating must be no less than "110" with a speed rating not less than "S".


This kit has been ESC tested by Bosch Australia and complies with the ADR 35-05 "Sine with Dwell" requirements and fully certified under RVCS (Road Vehicle Certification System) by the federal Dept. of Infrastructure and Regional Development.

Each GVM suspension upgrade is issued with a silver modification compliance plate fitted next to the OEM compliance plate, stating vehicle particulars and approval number issued as Second Stage Manufacture. The suspension modification and fixing of the silver modification plate **must** be done **prior** to any other modifications and **must** be done **prior** to the vehicle being licensed.

For vehicles that have already been road registered, the process varies from state to state. The vehicle may be required to be inspected by an authorised Automotive Engineer in that state to be issued with a compliance certificate.

Please be aware that these kits must be fitted by a RVCS registered production facility.

All relevant application and approval forms for vehicle particulars will be available from West Coast Suspensions staff at time of purchase.



Suspension kit consists of:

- 2 Front coil springs
- 2 Rear leaf springs
- 2 Front struts
- 2 Rear shock absorbers
- 4 U-Bolts
- 1 Shackle bush kit
- 2 Swinging shackles
- 2 Fixed pins
- 1 Silver SSM Compliance plate
- 1 GVM tyre placard

Toyota 76 Series Land Cruiser Wagon 3500kg GVM Upgrade

West Coast Suspension is now authorised under Federal approval number **47230** to supply and fit a GVM suspension upgrade for the Toyota 76 Series Land Cruiser Wagon to 3500kg GVM. This enables the operator to legally carry 440kg over the factory stipulated GVM.


This kit has been ESC tested by Bosch Australia and complies with the ADR 35-05 "Sine with Dwell" requirements and fully certified under RVCS (Road Vehicle Certification System) by the federal Dept. of Infrastructure and Regional Development.

Each GVM suspension upgrade is issued with a silver modification compliance plate fitted next to the OEM compliance plate, stating vehicle particulars and approval number issued as Second Stage Manufacture. The suspension modification and fixing of the silver modification plate **must** be done **prior** to any other modifications and **must** be done **prior** to the vehicle being licensed.

For vehicles that have already been road registered, the process varies from state to state. The vehicle may be required to be inspected by an authorised Automotive Engineer in that state to be issued with a compliance certificate.

Please be aware that these kits must be fitted by a RVCS registered production facility.

All relevant application and approval forms for vehicle particulars will be available from West Coast Suspensions staff at time of purchase.



Suspension kit consists of:

- 2 Front coil springs
- 2 Rear leaf springs
- 2 Front shock absorbers
- 2 Rear shock absorbers
- 4 U-Bolts
- 1 Shackle bush kit
- 2 Swinging shackles
- 2 Fixed pins
- 1 Silver SSM Compliance plate
- 1 GVM tyre placard

Toyota 78 Series Land Cruiser Personnel Carrier 3900kg GVM Upgrade

West Coast Suspension is authorised under Federal approval number **47230** to supply and fit a GVM suspension upgrade for the Toyota 78 Series Land Cruiser Personnel Carrier to 3900kg GVM. This enables the operator to legally carry 500kg-600kg over the factory stipulated GVM.

This kit has been ESC tested by Bosch Australia and complies with the ADR 35-05 "Sine with Dwell" requirements and fully certified under RVCS (Road Vehicle Certification System) by the federal Dept. of Infrastructure and Regional Development.

Each GVM suspension upgrade is issued with a silver modification compliance plate fitted next to the OEM compliance plate, stating vehicle particulars and approval number issued as Second Stage Manufacture. The suspension modification and fixing of the silver modification plate **must** be done **prior** to any other modifications and **must** be done **prior** to the vehicle being licensed.

For vehicles that have already been road registered, the process varies from state to state. The vehicle may be required to be inspected by an authorised Automotive Engineer in that state to be issued with a compliance certificate.

Please be aware that these kits must be fitted by a RVCS registered production facility.

All relevant application and approval forms for vehicle particulars will be available from West Coast Suspensions staff at time of purchase.



Suspension kit consists of:

- 2 Front coil springs
- 2 Rear leaf springs
- 2 Front shock absorbers
- 2 Rear shock absorbers
- 4 U-Bolts
- 1 Shackle bush kit
- 2 Swinging shackles
- 2 Fixed pins
- 1 Silver SSM Compliance plate
- 1 GVM tyre placard
- 2 Category 6 side indicators

This kit also requires Category 6 side indicators to be fitted to the vehicle before it is presented for licensing.

Toyota 79 Series Land Cruiser Cab Chassis 3900kg GVM Upgrade

West Coast Suspension is authorised under Federal approval number **47230** to supply and fit a GVM suspension upgrade for the Toyota 79 Series Land Cruiser Cab Chassis to 3900kg GVM. This enables the operator to legally carry 500kg-600kg over the factory stipulated GVM.

This kit has been ESC tested by Bosch Australia and complies with the ADR 35-05 "Sine with Dwell" requirements and fully certified under RVCS (Road Vehicle Certification System) by the federal Dept. of Infrastructure and Regional Development.

Each GVM suspension upgrade is issued with a silver modification compliance plate fitted next to the OEM compliance plate, stating vehicle particulars and approval number issued as Second Stage Manufacture. The suspension modification and fixing of the silver modification plate **must** be done **prior** to any other modifications and **must** be done **prior** to the vehicle being licensed.

For vehicles that have already been road registered, the process varies from state to state. The vehicle may be required to be inspected by an authorised Automotive Engineer in that state to be issued with a compliance certificate.

Please be aware that these kits must be fitted by a RVCS registered production facility.

All relevant application and approval forms for vehicle particulars will be available from West Coast Suspensions staff at time of purchase.



Suspension kit consists of:

- 2 Front coil springs
- 2 Rear leaf springs
- 2 Front shock absorbers
- 2 Rear shock absorbers
- 4 U-Bolts
- 1 Shackle bush kit
- 2 Swinging shackles
- 2 Fixed pins
- 1 Silver SSM Compliance plate
- 1 GVM tyre placard
- 2 Category 6 side indicators

This kit also requires Category 6 side indicators to be fitted to the vehicle before it is presented for licensing.

Toyota 200 Series Land Cruiser Wagon 3800kg GVM Upgrade

West Coast Suspensions is now authorised under Federal approval number **49103 (NB1 - GX only)** or **49557 (MC - GXL, VX & Sahara)** to supply and fit a GVM suspension upgrade for the Toyota 200 Series Land Cruiser Wagon to 3800kg GVM. This enables the operator to legally carry 450kg over the factory stipulated GVM.

Each kit is fully certified under RVCS (Road Vehicle Certification System) by the federal Dept. of Infrastructure and Regional Development.

Each GVM suspension upgrade is issued with a green Secondary Stage Manufacturing (SSM) modification compliance plate fitted next to the OEM compliance plate, stating vehicle particulars and approval number issued as Second Stage Manufacture. The suspension modification and fixing of the green (low volume) modification plate **must** be done **prior** to any other modifications and **must** be done **prior** to the vehicle being licensed.

For vehicles that have already been road registered, the process varies from state to state. The vehicle may be required to be inspected by an authorised Automotive Engineer in that state to be issued with a compliance certificate.

Please be aware that these kits must be fitted by a RVCS registered production facility.

All relevant application and approval forms for vehicle particulars will be available from West Coast Suspensions staff at time of purchase.



Suspension kit consists of:

- 4 Coil Springs
- 2 Front struts
- 2 Rear shock absorbers
- 2 Category 6 Side Indicators (GX only)
- 1 Green SSM Compliance plate
- 1 GVM tyre placard

This kit also requires Category 6 side indicators to be fitted to the vehicle before it is presented for licensing (GX only).

"COAST TO COAST PERFORMANCE!"

MONOTUBE

Monotube 2.0 Remote Reservoir

- Monotube System with Remote Reservoir (provides extra oil during operation to cool the shock and prevent fade)
- Bore 46 mm
- Shaft 18 mm
- Easy installation (replaces existing shock)
- Specific model for Standard to +2"
- High pressure gas
- High performance off-road
- Adjustable pressure 100 to 200 PSI
- Adjustable at remote reservoir
- Black Anodised—500 hour salt spray tested

Adjustable
8 stage
remote
reservoir



DESCRIPTION	PART NUMBER
Ford Ranger PX/PX2 / Mazda BT50 Front 0"-2"	MXA5-1603A50
Ford Ranger PX3 Front 0"-2" (LH)	MXA5-1611A50L
Ford Ranger PX3 Front 0"-2" (RH)	MXA5-1611A50R
Ford Ranger PX/PX2/PX3 / Mazda BT50 Rear 0"-2" Piggy Back (LH)	MPA5-4045PL
Ford Ranger PX/PX2/PX3 / Mazda BT50 Rear 0"-2" Piggy Back (RH)	MPA5-4045PR
Holden Colorado RG / Isuzu D-Max Y2012 Front 0"-2"	MXA5-9602A50
Holden Colorado RG / Isuzu D-Max Y2012 Rear 0"-2" Piggy Back (LH)	MPA5-4052PL
Holden Colorado RG / Isuzu D-Max Y2012 Rear 0"-2" Piggy Back (RH)	MPA5-4052PR
Mitsubishi Triton ML/MN/MQ Front 0"-2"	MXA5-4686A50
Mitsubishi Triton ML/MN/MQ Rear 0"-2"	MXA5-4012P
Nissan Navara D40 / NP 300 Front 0"-2"	MXA5-56110A50
Nissan Navara D40 / NP 300 Coil Rear 0"-2" Piggy Back (LH)	MPA5-5009PL
Nissan Navara D40 / NP 300 Coil Rear 0"-2" Piggy Back (RH)	MPA5-5009PR
Nissan Patrol Y60/Y61 Front 0"-2"	MXA5-5601P
Nissan Patrol Y60/Y61 Rear 0"-2"	MXA5-5001P
Toyota Hilux KUN26/GEN8 Front 0"-2"	MXA5-4680A50
Toyota Hilux KUN26 Rear 0"-2"	MXA5-4046P
Toyota Hilux GEN8 Rear 0"-2" Piggy Back (LH)	MPA5-6024PL
Toyota Hilux GEN8 Rear 0"-2" Piggy Back (RH)	MPA5-6024PR
Toyota Landcruiser 70 Series Front 0"-2"	MXA5-6619P
Toyota Landcruiser 70 Series Rear 0"-2"	MXA5-6019P
Toyota Landcruiser 70 Series Rear 0"-2" Piggy Back (LH)	MPA5-6019PL
Toyota Landcruiser 70 Series Rear 0"-2" Piggy Back (RH)	MPA5-6019PR
Toyota Landcruiser 200 Series Front 0"-2"	MXA5-6611A50
Toyota Landcruiser 200 Series Rear 0"-2"	MXA5-6011P
Toyota Prado 120/150 & FJ Cruiser Front 0"-2"	MXA5-6606A50
Toyota Prado 120/150 & FJ Cruiser Rear 0"-2"	MXA5-6006P
Toyota Prado 120/150 & FJ Cruiser Rear 0"-2" Piggy Back	MPA5-6006P

Technical specifications— monotube 2.0 Remote Reservoir

